

Rabbit TXNL4B Polyclonal Antibody | anti-TXNL4B antibody

TXNL4B Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279481	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

TXNL4B; Polyclonal Antibody; TXNL4B Polyclonal Antibody; DLP; Dim2; anti-TXNL4B antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	149
Applicable Applications for anti-TXNL4B antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human TXNL4B
Calculated Molecular Weight	17kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IF (Immunofluorescence)
Immunofluorescence analysis of A549 cells using TXNL4B antibody.



WB (Western Blot)
Western blot analysis of extracts of mouse liver, using TXNL4B Antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Product Categories/Family for anti-TXNL4B antibody	Polyclonal
--	------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	51702156
NCBI GeneID	54957
UniProt Accession #	Q9NX01; D3DWS6
Molecular Weight	149
NCBI Official Full Name	Thioredoxin-like protein 4B
NCBI Official Synonym Full Names	thioredoxin-like 4B
NCBI Official Symbol	TXNL4B
NCBI Official Synonym Symbols	DLP; Dim2
NCBI Protein Information	thioredoxin-like protein 4B; Dim1-like protein
UniProt Protein Name	Thioredoxin-like protein 4B
UniProt Gene Name	TXNL4B
UniProt Synonym Gene Names	DIM2; DLP
UniProt Entry Name	TXN4B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.