

Rabbit CAPNS1 Polyclonal Antibody | anti-CAPNS1 antibody

CAPNS1 Polyclonal Antibody

CATALOG # AAA279649	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CAPNS1; Polyclonal Antibody; CAPNS1 Polyclonal Antibody; 30K; CANP; CDPS; CSS1; CANPS; CAPN4; CALPAIN4; anti-CAPNS1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	268
Applicable Applications for anti-CAPNS1 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human CAPNS1
Calculated Molecular Weight	28kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human esophageal cancer using CAPNS1 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon using CAPNS1 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human liver cancer using CAPNS1 antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using CAPNS1 Antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-CAPNS1 antibody	Calpains are a ubiquitous, well-conserved family of calcium-dependent, cysteine proteases. Calpain families have been implicated in neurodegenerative processes, as their activation can be triggered by calcium influx and oxidative stress. Calpain I and II are heterodimeric with distinct large subunits associated with common small subunits, all of which are encoded by different genes. This gene encodes a small subunit common to both calpain I and II and is associated with myotonic dystrophy. Two transcript variants encoding the same protein have been identified for this gene.
Product Categories/Family for anti-CAPNS1 antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	115612
NCBI GeneID	826
UniProt Accession #	P04632; Q8WTX3; Q96EW0; A8K0P1
Molecular Weight	268
NCBI Official Full Name	Calpain small subunit 1
NCBI Official Synonym Full Names	calpain, small subunit 1
NCBI Official Symbol	CAPNS1
NCBI Official Synonym Symbols	CANP; CDPS; CSS1; CANPS; CAPN4; CALPAIN4
NCBI Protein Information	calpain small subunit 1; CANP small subunit; calpain regulatory subunit; calpain, small polypeptide; calpain 4, small subunit (30K); calcium-dependent protease, small subunit; calcium-dependent protease small subunit 1; calcium-activated neutral proteinase small subunit
UniProt Protein Name	Calpain small subunit 1
UniProt Gene Name	CAPNS1
UniProt Synonym Gene Names	CAPN4; CAPNS; CSS1; CANP small subunit; CDPS
UniProt Entry Name	CPNS1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

