

IgG (H+L) Secondary Antibody

Rhodamine (TRITC) -Goat Anti-Rabbit IgG (H+L) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279653	Goat	Rabbit	Immunofluorescence, Flow Cytometry, Functional Assay, Immunocytochemistry, Immunohistochemistry

PRODUCT SYNONYMS

IgG (H+L); Rhodamine (TRITC) -Goat Anti-Rabbit IgG (H+L) Antibody; Rhodamine (TRITC) -Goat Anti-Rabbit IgG (H+L): N/A; IgG (H+L) secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Rabbit
Isotype	TRITC conjugated IgG
Purity/Purification	Affinity Purification
Form/Format	50% glycerol, pH 7.3
Applicable Applications for IgG (H+L) secondary antibody	IF (Immunofluorescence), FCM/FACS (Flow Cytometry), ICC (Immunocytochemistry), IHC (Immunohistochemistry)
Immunogen	Rabbit IgG
Preparation and Storage	Store at -20°C. Avoid freeze / thaw cycles.

ADDITIONAL INFORMATION

Product Categories/Family for IgG (H+L) secondary antibody	Secondary Antibody
--	--------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/goat-rabbit-secondary-antibody/igg-hl/279653>