

Rabbit KHDRBS1 Polyclonal Antibody | anti-KHDRBS1 antibody

KHDRBS1 Polyclonal Antibody

CATALOG # AAA280442	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

KHDRBS1; Polyclonal Antibody; KHDRBS1 Polyclonal Antibody; anti-KHDRBS1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	404
Applicable Applications for anti-KHDRBS1 antibody	WB (Western Blot)
Route	Synthetic Peptide
Immunogen	A synthetic peptide of human KHDRBS1
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse liver using KHDRBS1 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human stomach using KHDRBS1 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human prostate cancer using KHDRBS1 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using KHDRBS1 antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using KHDRBS1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.

ADDITIONAL INFORMATION

Related Product Information for anti-KHDRBS1 antibody

This gene encodes a member of the K homology domain-containing, RNA-binding, signal transduction-associated protein family. The encoded protein appears to have many functions and may be involved in a variety of cellular processes, including alternative splicing, cell cycle regulation, RNA 3'-end formation, tumorigenesis, and regulation of human immunodeficiency virus gene expression. Alternative splicing results in multiple transcript variants.

NCBI AND UNIPROT INFORMATION

NCBI GI #	428673536
NCBI GeneID	10657
NCBI Accession #	NP_001258807.1
NCBI GenBank Nucleotide #	NM_001271878.1
UniProt Accession #	Q07666 ; Q6PJX7 ; Q8NB97 ; Q99760 ; D3DPP3
Molecular Weight	48kDa
NCBI Official Full Name	KH domain-containing, RNA-binding, signal transduction-associated protein 1 isoform 2
NCBI Official Synonym Full Names	KH domain containing, RNA binding, signal transduction associated 1
NCBI Official Symbol	KHDRBS1

NCBI Official Synonym Symbols	p62; p68; Sam68
NCBI Protein Information	KH domain-containing, RNA-binding, signal transduction-associated protein 1
UniProt Protein Name	KH domain-containing, RNA-binding, signal transduction-associated protein 1
UniProt Gene Name	KHDRBS1
UniProt Synonym Gene Names	Sam68
UniProt Entry Name	KHDR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/khdrbs1-antibody-western-blot-elisa/280442>