

Rabbit MAP1LC3B Polyclonal Antibody | anti-MAP1LC3B antibody

MAP1LC3B Polyclonal Antibody

CATALOG # AAA280810	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

MAP1LC3B; Polyclonal Antibody; MAP1LC3B Polyclonal Antibody; ATG8F; LC3B; MAP1A/1BLC3; MAP1LC3B-a; anti-MAP1LC3B antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	125
Applicable Applications for anti-MAP1LC3B antibody	WB (Western Blot)
Immunogen	A synthetic peptide of human MAP1LC3B
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using MAP1LC3B antibody at dilution of 1:100. NIH/3T3 cells were treated by Chloroquine (50 uM) for 20 hours(left). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of HeLa cells using MAP1LC3B antibody at dilution of 1:100. HeLa cells were treated by Chloroquine (50 uM) for 20 hours(left). Blue: DAPI for nuclear staining.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse testis using MAP1LC3B antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using MAP1LC3B antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using MAP1LC3B antibody at 1:1000 dilution. HeLa cells were treated by Chloroquine (50 μ M) for 20 hours. NIH/3T3 cells were treated by Chloroquine (50 μ M) for 20 hours. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.

ADDITIONAL INFORMATION

Related Product Information for anti-MAP1LC3B antibody	The product of this gene is a subunit of neuronal microtubule-associated MAP1A and MAP1B proteins, which are involved in microtubule assembly and important for neurogenesis. Studies on the rat homolog implicate a role for this gene in autophagy, a process that involves the bulk degradation of cytoplasmic component.
Product Categories/Family for anti-MAP1LC3B antibody	Primary antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	17433141
NCBI GeneID	81631
UniProt Accession #	Q9GZQ8 ; Q6NW02
Molecular Weight	15kDa
NCBI Official Full Name	Microtubule-associated proteins 1A/1B light chain 3B
NCBI Official Synonym Full Names	microtubule associated protein 1 light chain 3 beta
NCBI Official Symbol	MAP1LC3B
NCBI Official Synonym Symbols	LC3B; ATG8F; MAP1LC3B-a; MAP1A/1BLC3

NCBI Protein Information	microtubule-associated proteins 1A/1B light chain 3B
UniProt Protein Name	Microtubule-associated proteins 1A/1B light chain 3B
UniProt Gene Name	MAP1LC3B
UniProt Synonym Gene Names	MAP1ALC3; MAP1A/MAP1B LC3 B

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/map1lc3b-antibody-western-blot-elisa/280810>