

Rabbit BAX Polyclonal Antibody | anti-BAX antibody

BAX Polyclonal Antibody

CATALOG # AAA280853	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

BAX; Polyclonal Antibody; BAX Polyclonal Antibody; BCL2L4; anti-BAX antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	192
Applicable Applications for anti-BAX antibody	WB (Western Blot)
Immunogen	A synthetic peptide of human BAX
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles. Buffer: PBS with 0.09% Sodium azide, 50% glycerol, pH7.3.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse testis using BAX antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat testis using BAX antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using BAX antibody at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-BAX antibody	The protein encoded by this gene belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. This protein forms a heterodimer with BCL2, and functions as an apoptotic activator. This protein is reported to interact with, and increase the opening of, the mitochondrial voltage-dependent anion channel (VDAC), which leads to the loss in membrane potential and the release of cytochrome c. The expression of this gene is regulated by the tumor suppressor P53 and has been shown to be involved in P53-mediated apoptosis. Multiple alternatively spliced transcript variants, which encode different isoforms, have been reported for this gene.
Product Categories/Family for anti-BAX antibody	Primary antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	728945
NCBI GeneID	581
UniProt Accession #	Q07812; P55269; Q07814; Q07815; Q8WZ49; Q9NR76; Q9NYG7; Q9UCZ6; Q9UCZ7; Q9UQD6; A8K4W1
Molecular Weight	21kDa
NCBI Official Full Name	Apoptosis regulator BAX
NCBI Official Synonym Full Names	BCL2 associated X, apoptosis regulator
NCBI Official Symbol	BAX
NCBI Official Synonym Symbols	BCL2L4
NCBI Protein Information	apoptosis regulator BAX
UniProt Protein Name	Apoptosis regulator BAX
UniProt Gene Name	BAX
UniProt Synonym Gene Names	BCL2L4; Bcl2-L-4

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/bax-antibody-western-blot-elisa/280853>