

Rabbit anti-Human, Mouse NTS Polyclonal Antibody | anti-NTS antibody

NTS Polyclonal Antibody

CATALOG # AAA280864	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Western Blot
-------------------------------	-----------------------	-----------------------------------	-------------------------------------


PRODUCT SYNONYMS

NTS; Polyclonal Antibody; NTS Polyclonal Antibody; NMN-125; NN; NT; NT/N; NTS1; anti-NTS antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	170
Applicable Applications for anti-NTS antibody	WB (Western Blot)
Immunogen	Recombinant protein of human NTS
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse brain using NTS antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using NTS antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse brain using NTS antibody at dilution of 1:100 (40x lens).

IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat brain using NTS antibody at dilution of 1:100 (40x lens).



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using NTS antibody at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-NTS antibody	This gene encodes a common precursor for two peptides, neuromedin N and neurotensin. Neurotensin is a secreted tridecapeptide, which is widely distributed throughout the central nervous system, and may function as a neurotransmitter or a neuromodulator. It may be involved in dopamine-associated pathophysiological events, in the maintenance of gut structure and function, and in the regulation of fat metabolism. Neurotensin also exhibits antimicrobial activity against bacteria and fungi. Tissue-specific processing may lead to the formation in some tissues of larger forms of neuromedin N and neurotensin. The large forms may represent more stable peptides that are also biologically active.
Product Categories/Family for anti-NTS antibody	Primary antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	2828196
NCBI GeneID	4922
UniProt Accession #	P30990
Molecular Weight	20kDa
NCBI Official Full Name	Neurotensin/neuromedin N
NCBI Official Synonym Full Names	neurotensin
NCBI Official Symbol	NTS

NCBI Official Synonym Symbols	NN; NT; NT/N; NTS1; NMN-125
NCBI Protein Information	neurotensin/neuromedin N
UniProt Protein Name	Neurotensin/neuromedin N
UniProt Gene Name	NTS
UniProt Synonym Gene Names	NN; NmN; NT

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/nts-antibody-western-blot-elisa/280864>