

Mouse Pan Phospho-Tyrosin Antibody

Pan Phospho-Tyrosine Mouse mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA281539	Mouse	Human, Mouse, Rat, Other (Wide Range)	Western Blot, Immunofluorescence


PRODUCT SYNONYMS

Pan Phospho-Tyrosin; Pan Phospho-Tyrosine Mouse mAb; anti-Pan Phospho-Tyrosin antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human, Mouse, Rat, Other (Wide Range)
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Applicable Applications for anti-Pan Phospho-Tyrosin antibody	WB (Western Blot), IF (Immunofluorescence)
Immunogen	A synthetic peptide corresponding to a sequence containing phosphorylated Y.
Positive Samples	Jurkat
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of NIH-3T3 cells using Pan Phospho-Tyrosine Mouse mAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of Jurkat cells, using Pan Phospho-Tyrosine antibody at 1:1000 dilution. Jurkat cells were treated by Pervanadate (1 mM) at 37° for 30 minutes. Secondary antibody: HRP Goat Anti-Mouse IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% BSA. Detection: ECL Basic Kit. Exposure time: 1s.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.