

Rabbit CD36/SR-B3 Polyclonal Antibody | anti-CD36/SR-B3 antibody

CD36/SR-B3 Rabbit pAb

CATALOG # AAA281779	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CD36/SR-B3; Polyclonal Antibody; CD36/SR-B3 Rabbit pAb; BDPLT10; CHDS7; FAT; GP3B; GP4; GPIV; PASIV; SCARB3; CD36; anti-CD36/SR-B3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-CD36/SR-B3 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein of human CD36/SR-B3.
Cellular Location	Cell membrane, Multi-pass membrane protein
Positive Samples	THP-1, RAW264.7, Rat fat
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat spleen using CD36/SR-B3 Rabbit pAb at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse liver using CD36/SR-B3 Rabbit pAb at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human liver using CD36/SR-B3 Rabbit pAb at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using CD36/SR-B3 antibody at 1:1000 dilution. THP-1 cells were treated by PMA/TPA (200 nM) at 37°C for 15 minutes after serum-starvation overnight. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.

ADDITIONAL INFORMATION

Related Product Information for anti-CD36/SR-B3 antibody	Background: The protein encoded by this gene is the fourth major glycoprotein of the platelet surface and serves as a receptor for thrombospondin in platelets and various cell lines. Since thrombospondins are widely distributed proteins involved in a variety of adhesive processes, this protein may have important functions as a cell adhesion molecule. It binds to collagen, thrombospondin, anionic phospholipids and oxidized LDL. It directly mediates cytoadherence of Plasmodium falciparum parasitized erythrocytes and it binds long chain fatty acids and may function in the transport and/or as a regulator of fatty acid transport. Mutations in this gene cause platelet glycoprotein deficiency. Multiple alternatively spliced transcript variants have been found for this gene.
Product Categories/Family for anti-CD36/SR-B3 antibody	Immunology & Inflammation ; CDs ; Research ; Stem Cells ; Endothelial Progenitors ; Research ; Stem Cells ; Hematopoietic Progenitors ; Research ; Cardiovascular ; Cardiovascular diseases ; Heart disease

NCBI AND UNIPROT INFORMATION

NCBI GI #	115982
NCBI GeneID	948
UniProt Accession #	P16671 ; Q13966 ; Q16093 ; Q8TCV7 ; Q9BPZ8 ; Q9BQC2 ; Q9BZM8 ; Q9BZN3 ; D9IX66 ; D9IX67 ; D9IX68 ; D9IX69
Molecular Weight	472
NCBI Official Full Name	Platelet glycoprotein 4
NCBI Official Synonym Full Names	CD36 molecule (thrombospondin receptor)
NCBI Official Symbol	CD36
NCBI Official Synonym Symbols	FAT; GP4; GP3B; GPIV; CHDS7; PASIV; SCARB3; BDPLT10
NCBI Protein Information	platelet glycoprotein 4; GPIIIB; PAS IV; PAS-4 protein; glycoprotein IIIb; cluster determinant 36; fatty acid translocase; platelet glycoprotein IV; scavenger receptor class B, member 3; leukocyte differentiation antigen CD36; CD36 antigen (collagen type)
UniProt Protein Name	Platelet glycoprotein 4
UniProt Gene Name	CD36
UniProt Synonym Gene Names	GP3B; GP4; FAT; GPIIIB; GPIV
UniProt Entry Name	CD36_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cd36-sr-b3-antibody-immunohistochemistry-western-blot-elisa/281779>