

Rabbit SULT2B1 Polyclonal Antibody | anti-SULT2B1 antibody

SULT2B1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA28196	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

SULT2B1; Polyclonal Antibody; SULT2B1 Polyclonal Antibody; anti-SULT2B1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	350
Applicable Applications for anti-SULT2B1 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:100
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human SULT2B1
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of A549 cells using SULT2B1 antibody.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse kidney using SULT2B1 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse lung using SULT2B1 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human kidney cancer using SULT2B1 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human liver cancer using SULT2B1 antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using SULT2B1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-SULT2B1 antibody

Sulfotransferase enzymes catalyze the sulfate conjugation of many hormones, neurotransmitters, drugs, and xenobiotic compounds. These cytosolic enzymes are different in their tissue distributions and substrate specificities. The gene structure (number and length of exons) is similar among family members. This gene sulfates dehydroepiandrosterone but not 4-nitrophenol, a typical substrate for the phenol and estrogen sulfotransferase subfamilies. Two alternatively spliced variants that encode different isoforms have been described.

NCBI AND UNIPROT INFORMATION

NCBI GI #	31563388
NCBI GeneID	6820
NCBI Accession #	NP_004596.2
NCBI GenBank Nucleotide #	NM_004605.2
UniProt Accession #	O00204; O00205; O75814
Molecular Weight	41kDa
NCBI Official Full Name	sulfotransferase family cytosolic 2B member 1 isoform a
NCBI Official Synonym Full Names	sulfotransferase family, cytosolic, 2B, member 1
NCBI Official Symbol	SULT2B1
NCBI Official Synonym Symbols	HSST2

NCBI Protein Information	sulfotransferase family cytosolic 2B member 1
UniProt Protein Name	Sulfotransferase family cytosolic 2B member 1
UniProt Gene Name	SULT2B1
UniProt Synonym Gene Names	HSST2; ST2B1; Sulfotransferase 2B1
UniProt Entry Name	ST2B1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/sult2b1-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/28196>