

Rabbit FAM117A Polyclonal Antibody | anti-FAM117A antibody

FAM117A Rabbit pAb

CATALOG # AAA282036	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

FAM117A; Polyclonal Antibody; FAM117A Rabbit pAb; anti-FAM117A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-FAM117A antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein of human FAM117A.
Positive Samples	HepG2, K-562, Mouse liver
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse liver using FAM117A Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human placenta using FAM117A Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)
 Immunohistochemistry of paraffin-embedded human thyroid cancer using FAM117A Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

IHC (Immunohistochemistry)
 Immunohistochemistry of paraffin-embedded rat spleen using FAM117A Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)
 Western blot analysis of extracts of various cell lines, using FAM117A antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 3s.

NCBI AND UNIPROT INFORMATION

NCBI GI #	13540590
NCBI GeneID	81558
NCBI Accession #	NP_110429.1
NCBI GenBank Nucleotide #	NM_030802.3
UniProt Accession #	Q9C073
Molecular Weight	48,319 Da
NCBI Official Full Name	protein FAM117A
NCBI Official Synonym Full Names	family with sequence similarity 117, member A
NCBI Official Symbol	FAM117A
NCBI Protein Information	protein FAM117A; C/EBP induced protein; C/EBP-induced protein
UniProt Protein Name	Protein FAM117A
UniProt Gene Name	FAM117A
UniProt Entry Name	F117A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/fam117a-antibody-immunohistochemistry-western-blot-elisa/282036>