

Rabbit pan-Nitrific-Y Polyclonal Antibody | anti-pan-Nitrific-Y antibody

pan-Nitrific-Y Rabbit pAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA282078	Rabbit	Human, Mouse, Rat, Other (Wide Range)	Western Blot


PRODUCT SYNONYMS

pan-Nitrific-Y; Polyclonal Antibody; pan-Nitrific-Y Rabbit pAb; anti-pan-Nitrific-Y antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Other (Wide Range)
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-pan-Nitrific-Y antibody	WB (Western Blot)
Immunogen	Recombinant protein of human pan-Nitrific-Y.
Positive Samples	HeLa, C6, Jurkat, NIH/3T3
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



WB (Western Blot)

Western blot analysis of extracts of NIH/3T3 cells, using pan-Nitrific-Y antibody at 1:1000 dilution. NIH/3T3 cells were treated by Peroxynitrate (1 mM) for 3 hours. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using pan-Nitrific-Y antibody at 1:1000 dilution. HeLa and C6 cells were treated by Peroxynitrate (1 mM) for 1 hour. Jurkat cells were treated by Pervanadate (1 mM) at 37°C for 30 minutes. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.

ADDITIONAL INFORMATION

Product Categories/Family for anti-pan-Nitrific-Y antibody	Other modified Antibody
--	-------------------------

NCBI AND UNIPROT INFORMATION

Molecular Weight	Observed MW: 10-250KDa
------------------	------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/pan-nitrific-y-antibody-western-blot-elisa/282078>