

Human LGALS3 ELISA Kit | LGALS3 elisa kit

Human LGALS3 ELISA Kit

CATALOG #
AAA282462

REACTIVITY
Human


PRODUCT SYNONYMS

LGALS3; Human LGALS3 ELISA Kit; LGALS3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay recognizes both recombinant and natural human LGALS3. The factors listed below were prepared at 50ng/mL and assayed for cross-reactivity.
Assay Type	Quantitative Sandwich
Detection Range	0.15625-10ng/mL
Sensitivity	< 0.048ng/mL
Intra-assay Precision	Intra-plate Precision 3 samples with low, middle and high level LGALS3 were tested 16 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-plate Precision 3 samples with low, middle and high level LGALS3 were tested on 3 different plates, 16 replicates in each plate. Inter-Assay: CV<15%
Preparation and Storage	Ship: Ice Pack

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LGALS3 elisa kit	Background: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of LGALS3 in human serum, plasma, cell culture supernatants and other biological fluids. Principle of the Assay: This assay employs the quantitative sandwich enzyme immunoassay technique. An antibody specific for human LGALS3 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any LGALS3 present is bound by the immobilized antibody. After washing away any unbound substances, and then a detection antibody specific for LGALS3 is added to the wells and binds to the combination of capture antibody LGALS3 in sample. Following a wash to remove any unbound combination, and enzyme conjugate is added to the wells. Following incubation and wash steps, a substrate solution is added to the wells and color develops in proportion to the amount of LGALS3 bound in the initial step. The color development is stopped and the absorbance is measured.
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/lgals3/282462>