

Rabbit anti-Human, mouse AKT2 Polyclonal Antibody | anti-AKT2 antibody

AKT2 Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA283656	Rabbit	Human, mouse	Immunofluorescence, Flow Cytometry, Functional Assay, ELISA, Western Blot

PRODUCT SYNONYMS


AKT2; Polyclonal Antibody; AKT2 Antibody; RAC-beta serine/threonine-protein kinase; Protein kinase Akt-2; Protein kinase B beta; PKB beta; RAC-PK-beta; anti-AKT2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, mouse
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This AKT2 antibody is generated from rabbits immunized with human AKT2 recombinant protein.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.37 (varies by lot)
Sequence Length	481
Applicable Applications for anti-AKT2 antibody	IF (Immunofluorescence), FCM/FACS (Flow Cytometry), ELISA, WB (Western Blot)
Antigen Type	Recombinant Protein
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.




IF (Immunofluorescence)
Confocal immunofluorescent analysis of AKT2 Antibody with 293 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).



FCM/FACS (Flow Cytometry)
AKT2 Antibody flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



WB (Western Blot)
Western blot analysis of AKT2 Antibody in mouse brain tissue lysates (35ug/lane). AKT2 (arrow) was detected using the purified Pab.



WB (Western Blot)
Western blot analysis of AKT2 Antibody in NCI-H460 cell line lysates (35ug/lane). AKT2 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-AKT2 antibody	AKT2 is a putative oncogenic protein belonging to a subfamily of serine/threonine kinases containing SH2-like (Src homology 2-like) domains. Furthermore, AKT2 was shown to be amplified and overexpressed in 2 of 8 ovarian carcinoma cell lines and 2 of 15 primary ovarian tumors. Overexpression of AKT2 contributes to the malignant phenotype of a subset of human ductal pancreatic cancers. AKT2 is a general protein kinase capable of phosphorylating several known proteins.
Product Categories/Family for anti-AKT2 antibody	Cancer; Cardiovascular; Cell Biology; Immunology; Metabolism; Neuroscience; Signal Transduction
References	Vojtek, A.B., et al., Mol. Cell. Biol. 23(13):4417-4427 (2003). Yuan, Z.Q., et al., J. Biol. Chem. 278(26):23432-23440 (2003). Jones, D.T., et al., Blood 101(8):3174-3180 (2003). Brozinick, J.T. Jr., et al., Diabetes 52(4):935-941 (2003). Miyakawa, M., et al., Endocr. J. 50(1):77-83 (2003).

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502023
NCBI GeneID	208
NCBI Accession #	NP_001617.1
NCBI GenBank Nucleotide #	NM_001626.5
UniProt Accession #	P31751; Q05BV0; Q0VAN0; Q0VAN1; Q68GC0; B2RBD8

Molecular Weight	55769
NCBI Official Full Name	RAC-beta serine/threonine-protein kinase isoform 1
NCBI Official Synonym Full Names	v-akt murine thymoma viral oncogene homolog 2
NCBI Official Symbol	AKT2
NCBI Official Synonym Symbols	PKBB; PRKBB; HIHGHH; PKBBETA; RAC-BETA
NCBI Protein Information	RAC-beta serine/threonine-protein kinase
UniProt Protein Name	RAC-beta serine/threonine-protein kinase
UniProt Gene Name	AKT2
UniProt Synonym Gene Names	PKB beta
UniProt Entry Name	AKT2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/akt2-antibody-immunofluorescence-flow-cytometry-western-blot-elisa/283656>