

Rabbit EPS8L3 Polyclonal Antibody | anti-EPS8L3 antibody

EPS8L3 Antibody (N-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA283661	Rabbit	Human (Predicted Reactivity: Mouse)	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


EPS8L3; Polyclonal Antibody; EPS8L3 Antibody (N-term); Epidermal growth factor receptor kinase substrate 8-like protein 3; EPS8-like protein 3; Epidermal growth factor receptor pathway substrate 8-related protein 3; EPS8-related protein 3; EPS8R3; anti-EPS8L3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human (Predicted Reactivity: Mouse)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This EPS8L3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human EPS8L3.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	1-30
Sequence Length	563
Applicable Applications for anti-EPS8L3 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
EPS8L3 Antibody (N-term) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
EPS8L3 Antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human colon carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the EPS8L3 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of EPS8L3 Antibody (N-term) in 293 cell line lysates (35ug/lane). EPS8L3 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-EPS8L3 antibody	EPS8L3 is related to epidermal growth factor receptor pathway substrate 8 (EPS8), a substrate for the epidermal growth factor receptor. The function of this protein is unknown.
Product Categories/Family for anti-EPS8L3 antibody	Cell Biology; Signal transduction
References	Tocchetti,A., et.al., Genomics 81 (2), 234-244 (2003)

NCBI AND UNIPROT INFORMATION

NCBI GI #	21071014
NCBI GeneID	79574
NCBI Accession #	NP_078802.2; NP_573444.2; NP_620641.1
NCBI GenBank Nucleotide #	NM_024526.3
UniProt Accession #	Q8TE67; Q5T8Q6; Q5T8Q7; Q5T8Q8; Q96E47; Q9H719; A8K833
Molecular Weight	66861
NCBI Official Full Name	epidermal growth factor receptor kinase substrate 8-like protein 3 isoform c

NCBI Official Synonym Full Names	EPS8-like 3
NCBI Official Symbol	EPS8L3
NCBI Official Synonym Symbols	EPS8R3
NCBI Protein Information	epidermal growth factor receptor kinase substrate 8-like protein 3
UniProt Protein Name	Epidermal growth factor receptor kinase substrate 8-like protein 3
UniProt Gene Name	EPS8L3
UniProt Synonym Gene Names	EPS8R3; EPS8-like protein 3; EPS8-related protein 3
UniProt Entry Name	ES8L3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/eps8l3-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/283661>