

Rabbit anti-Human ZNF175 Polyclonal Antibody | anti-ZNF175 antibody

ZNF175 Antibody (N-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284096	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

ZNF175; Polyclonal Antibody; ZNF175 Antibody (N-term); Zinc finger protein 175; Zinc finger protein OTK18; anti-ZNF175 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This ZNF175 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 150-187 amino acids from the N-terminal region of human ZNF175.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Length	711
Applicable Applications for anti-ZNF175 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Crown Antibody	Yes
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



WB (Western Blot)

Western blot analysis of lysates from A431, Jurkat, K562, MDA-MB-231, U-251 MG cell line (from left to right), using ZNF175 Antibody (N-term). AAA284096 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35ug per lane.



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded H.heart section using ZNF175 Antibody (N-term). AAA284096 was diluted at 1:25 dilution. A peroxidase-conjugated goat anti-rabbit IgG at 1:400 dilution was used as the secondary antibody, followed by DAB staining.

ADDITIONAL INFORMATION

Related Product Information for anti-ZNF175 antibody	Down-regulates the expression of several chemokine receptors. Interferes with HIV-1 replication by suppressing Tat- induced viral LTR promoter activity.
Product Categories/Family for anti-ZNF175 antibody	Crown Antibodies
References	Saito H.,et al.Genomics 31:376-379(1996). Ota T.,et al.Nat. Genet. 36:40-45(2004). Grimwood J.,et al.Nature 428:529-535(2004). Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Carlson K.A.,et al.J. Immunol. 172:381-391(2004).

NCBI AND UNIPROT INFORMATION

NCBI GI #	6005970
NCBI GeneID	7728
NCBI Accession #	NP_009078.1
NCBI GenBank Nucleotide #	NM_007147.2
UniProt Accession #	Q9Y473; A8K9H2
Molecular Weight	81609
NCBI Official Full Name	zinc finger protein 175
NCBI Official Synonym Full Names	zinc finger protein 175
NCBI Official Symbol	ZNF175
NCBI Official Synonym Symbols	OTK18
NCBI Protein Information	zinc finger protein 175
UniProt Protein Name	Zinc finger protein 175
UniProt Gene Name	ZNF175
UniProt Entry Name	ZN175_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/znf175-antibody-immunohistochemistry-western-blot-elisa/284096>