

Rabbit anti-Human, mouse Fascin-3 Polyclonal Antibody | anti-FSCN3 antibody

Fascin-3 Antibody (N-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284268	Rabbit	Human, mouse	Immunohistochemistry, Western Blot, ELISA, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

Fascin-3; Polyclonal Antibody; Fascin-3 Antibody (N-term); Testis fascin; FSCN3; anti-FSCN3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, mouse
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This Fascin-3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human Fascin-3.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	1-30
Sequence Length	351
Applicable Applications for anti-FSCN3 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA, FCM/FACS (Flow Cytometry)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



FCM/FACS (Flow Cytometry)
Fascin-3 Antibody (N-term) flow cytometric analysis of MDA-MB231 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
Fascin-3 Antibody (N-term) IHC analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the Fascin-3 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of Fascin-3 Antibody (N-term) in MDA-MB231, NCI-H460 cell line and mouse testis tissue lysates (35ug/lane). Fascin-3 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-FSCN3 antibody	FSCN3 acts as an actin bundling protein.
Product Categories/Family for anti-FSCN3 antibody	Signal Transduction
References	Tubb,B., et.al., Exp. Cell Res. 275 (1), 92-109 (2002)

NCBI AND UNIPROT INFORMATION

NCBI GI #	9966791
NCBI GeneID	29999
NCBI Accession #	NP_065102.1
NCBI GenBank Nucleotide #	NM_020369.2
UniProt Accession #	Q9NQT6 ; A4D0Z2 ; A6NLL7 ; B2RA62 ; B4DU68
Molecular Weight	56624

NCBI Official Full Name	fascin-3
NCBI Official Synonym Full Names	fascin actin-bundling protein 3, testicular
NCBI Official Symbol	FSCN3
NCBI Protein Information	fascin-3
UniProt Protein Name	Fascin-3
UniProt Gene Name	FSCN3
UniProt Entry Name	FSCN3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/fascin-3-antibody-immunohistochemistry-western-blot-flow-cytometry-elisa/284268>