

Rabbit anti-Human WDR21C Polyclonal Antibody | anti-DCAF4L2 antibody

WDR21C Antibody (N-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284726	Rabbit	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


WDR21C; Polyclonal Antibody; WDR21C Antibody (N-term); DDB1- and CUL4-associated factor 4-like protein 2; WD repeat-containing protein 21C; DCAF4L2; anti-DCAF4L2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This WDR21C antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human WDR21C.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Sequence Positions	1-30
Sequence Length	395
Applicable Applications for anti-DCAF4L2 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Clone Names	RB28363
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
WDR21C Antibody (N-term) flow cytometric analysis of A2058 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohiostchemistry)
WDR21C antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human colon carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the WDR21C antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
WDR21C Antibody (N-term) western blot analysis in A2058 cell line lysates (35ug/lane).This demonstrates the WDR21C antibody detected the WDR21C protein (arrow).

ADDITIONAL INFORMATION

Product Categories/Family for anti-DCAF4L2 antibody	Cell Biology
References	Gerhard, D.S., et al. Genome Res. 14 (10B), 2121-2127 (2004) :

NCBI AND UNIPROT INFORMATION

NCBI GI #	22748885
NCBI GeneID	138009
NCBI Accession #	NP_689631.1
NCBI GenBank Nucleotide #	NM_152418.3
UniProt Accession #	Q8NA75
Molecular Weight	43747
NCBI Official Full Name	DDB1- and CUL4-associated factor 4-like protein 2
NCBI Official Synonym Full Names	DDB1 and CUL4 associated factor 4-like 2

NCBI Official Symbol	DCAF4L2
NCBI Official Synonym Symbols	WDR21C
NCBI Protein Information	DDB1- and CUL4-associated factor 4-like protein 2
UniProt Protein Name	DDB1- and CUL4-associated factor 4-like protein 2
UniProt Gene Name	DCAF4L2
UniProt Synonym Gene Names	WDR21C
UniProt Entry Name	DC4L2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/wdr21c-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/284726>