

Rabbit anti-Human, mouse MYLK3 Polyclonal Antibody | anti-MYLK3 antibody

MYLK3 Antibody (N-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284782	Rabbit	Human, mouse	Western Blot, Immunohistochemistry, ELISA

PRODUCT SYNONYMS


MYLK3; Polyclonal Antibody; MYLK3 Antibody (N-term); Myosin light chain kinase 3; Cardiac-MyBP-C-associated Ca/CaM kinase; Cardiac-MLCK; MLCK; anti-MYLK3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, mouse
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This MYLK3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 40-69 amino acids from the N-terminal region of human MYLK3.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	40-69
Sequence Length	478
Applicable Applications for anti-MYLK3 antibody	WB (Western Blot), IHC (Immunohistochemistry), ELISA
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.




IHC (Immunohistochemistry)
Formalin-fixed and paraffin-embedded human breast carcinoma tissue reacted with MYLK3 antibody (N-term) , which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



IHC (Immunohistochemistry)
Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma; HC = hepatocarcinoma.



WB (Western Blot)
Western blot analysis of anti-MYLK3 Antibody (N-term) in mouse heart tissue lysates (35ug/lane). MYLK3(arrow) was detected using the purified Pab.



WB (Western Blot)
Western blot analysis of anti-MYLK3 Antibody (N-term) in A375 cell line lysates (35ug/lane). MYLK3 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-MYLK3 antibody	MLCK, a member of the Ser/Thr protein kinase family, is a calcium/calmodulin-dependent enzyme responsible for smooth muscle contraction via phosphorylation of a specific serine in the N-terminus of myosin light chains (MLC), an event that facilitates myosin interaction with actin filaments. It is a central determinant in the development of vascular permeability and tissue edema formation. In the nervous system it has been shown to control the growth initiation of astrocytic processes in culture and to participate in transmitter release at synapses formed between cultured sympathetic ganglion cells. MLCK acts as a critical participant in signaling sequences that result in fibroblast apoptosis. Smooth muscle and non-muscle isozymes are expressed in a wide variety of adult and fetal tissues and in cultured endothelium with qualitative expression appearing to be neither tissue- nor development-specific. Non-muscle isoform 2 is the dominant splice variant expressed in various tissues. The Telokin isoform, which binds calmodulin, has been found in a wide variety of adult and fetal tissues. MLCK is probably down-regulated by phosphorylation. The protein contains 1 fibronectin type III domain and 9 immunoglobulin-like C2-type domains.
Product Categories/Family for anti-MYLK3 antibody	Cardiovascular; Signal Transduction

References	Blume-Jensen P, et al. Nature 2001. 411: 355. Cantrell D, J. Cell Sci. 2001. 114: 1439. Jhiang S Oncogene 2000. 19: 5590. Manning G, et al. Science 2002. 298: 1912. Moller, D, et al. Am. J. Physiol. 1994. 266: C351-C359. Robertson, S. et al. Trends Genet. 2000. 16: 368. Robinson D, et al. Oncogene 2000. 19: 5548. Van der Ven, P, et al. Hum. Molec. Genet. 1993. 2: 1889. Vanhaesebroeck, B, et al. Biochem. J. 2000. 346: 561. Van Weering D, et al. Recent Results Cancer Res. 1998. 154: 271.
-------------------	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	146219832
NCBI GeneID	91807
NCBI Accession #	NP_872299.2
NCBI GenBank Nucleotide #	NM_182493.2
UniProt Accession #	Q32MK0; Q32MK1; Q96DV1; B5BUL9; B7Z5U8
Molecular Weight	88393
NCBI Official Full Name	myosin light chain kinase 3 isoform 1
NCBI Official Synonym Full Names	myosin light chain kinase 3
NCBI Official Symbol	MYLK3
NCBI Official Synonym Symbols	MLCK; MLCK2; caMLCK
NCBI Protein Information	myosin light chain kinase 3
UniProt Protein Name	Myosin light chain kinase 3
UniProt Gene Name	MYLK3
UniProt Synonym Gene Names	MLCK; Cardiac-MLCK
UniProt Entry Name	MYLK3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/mylk3-antibody-western-blot-immunohistochemistry-elisa/284782>