

Rabbit anti-Human CC130 Polyclonal Antibody | anti-CCDC130 antibody

CC130 Antibody (Center)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA285056	Rabbit	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

CC130; Polyclonal Antibody; CC130 Antibody (Center); Coiled-coil domain-containing protein 130; 9 kDa protein; CCDC130; anti-CCDC130 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This CC130 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 173-200 amino acids from the Central region of human CC130.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Sequence Positions	173-200
Sequence Length	396
Applicable Applications for anti-CCDC130 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



FCM/FACS (Flow Cytometry)
CC130 Antibody (Center) flow cytometric analysis of Jurkat cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
CC130 Antibody (Center) IHC analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CC130 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of CC130 Antibody (Center) in Jurkat cell line lysates (35ug/lane). CC130 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Product Categories/Family for anti-CCDC130 antibody	Microbiology
References	Olsen, J.V., et al. Cell 127(3):635-648(2006) Lammers, R., et al. Eur. J. Biochem. 178(1):93-99(1988)

NCBI AND UNIPROT INFORMATION

NCBI GI #	13540614
NCBI GeneID	81576
NCBI Accession #	NP_110445.1
NCBI GenBank Nucleotide #	NM_030818.2
UniProt Accession #	P13994; Q9BQ72
Molecular Weight	44802
NCBI Official Full Name	coiled-coil domain-containing protein 130
NCBI Official Synonym Full Names	coiled-coil domain containing 130

NCBI Official Symbol	CCDC130
NCBI Protein Information	coiled-coil domain-containing protein 130
UniProt Protein Name	Coiled-coil domain-containing protein 130
UniProt Gene Name	CCDC130
UniProt Entry Name	CC130_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cc130-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/285056>