

Rabbit EXOC3L Polyclonal Antibody | anti-EXOC3L1 antibody

EXOC3L Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA285581	Rabbit	Human, mouse (Predicted Reactivity: Bovine)	Immunofluorescence, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

EXOC3L; Polyclonal Antibody; EXOC3L Antibody (C-term); Exocyst complex component 3-like protein; Protein Jiangli; EXOC3L1; anti-EXOC3L1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, mouse (Predicted Reactivity: Bovine)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This EXOC3L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 652-680 amino acids from the C-terminal region of human EXOC3L.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	652-680
Sequence Length	746
Applicable Applications for anti-EXOC3L1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES




IF (Immunofluorescence)
Confocal immunofluorescent analysis of EXOC3L Antibody (C-term) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



IHC (Immunohistochemisry)
EXOC3L Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of EXOC3L Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
EXOC3L Antibody (C-term) western blot analysis in mouse liver tissue lysates (35ug/lane). This demonstrates the EXOC3L antibody detected the EXOC3L protein (arrow).



WB (Western Blot)
EXOC3L Antibody (C-term) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the EXOC3L antibody detected the EXOC3L protein (arrow).

ADDITIONAL INFORMATION

Product Categories/Family for anti-EXOC3L1 antibody	Signal Transduction
References	Saito, T., et al. Biomed. Res. 29(2):85-91(2008)

NCBI AND UNIPROT INFORMATION

NCBI GI #	106879204
NCBI GeneID	283849
NCBI Accession #	NP_848611.2
NCBI GenBank Nucleotide #	NM_178516.3
UniProt Accession #	Q86VI1; Q8NAD2; Q8TEN2; A8K7I9
Molecular Weight	81678
NCBI Official Full Name	exocyst complex component 3-like protein
NCBI Official Synonym Full Names	exocyst complex component 3-like 1

NCBI Official Symbol	EXOC3L1
NCBI Official Synonym Symbols	EXOC3L
NCBI Protein Information	exocyst complex component 3-like protein
UniProt Protein Name	Exocyst complex component 3-like protein
UniProt Gene Name	EXOC3L1
UniProt Synonym Gene Names	EXOC3L
UniProt Entry Name	EX3L1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/exoc3l-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/285581>