

Rabbit CC85C Polyclonal Antibody | anti-CCDC85C antibody

CC85C Antibody (N-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA285922	Rabbit	Human (Predicted Reactivity: Mouse)	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


CC85C; Polyclonal Antibody; CC85C Antibody (N-term); Coiled-coil domain-containing protein 85C; CCDC85C; anti-CCDC85C antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human (Predicted Reactivity: Mouse)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This CC85C antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 56-85 amino acids from the N-terminal region of human CC85C.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	56-85
Sequence Length	419
Applicable Applications for anti-CCDC85C antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
CC85C Antibody (N-term) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
CC85C Antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CC85C Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
CC85C Antibody (N-term) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the CC85C antibody detected the CC85C protein (arrow).

ADDITIONAL INFORMATION

Product Categories/Family for anti-CCDC85C antibody	Cell Biology
References	Heilig, R., et al. Nature 421(6923):601-607(2003) Venter, J.C., et al. Science 291(5507):1304-1351(2001)

NCBI AND UNIPROT INFORMATION

NCBI GI #	223671856
NCBI GeneID	317762
NCBI Accession #	NP_001138467.1
NCBI GenBank Nucleotide #	NM_001144995.1
UniProt Accession #	A6NKD9
Molecular Weight	45210
NCBI Official Full Name	coiled-coil domain-containing protein 85C
NCBI Official Synonym Full Names	coiled-coil domain containing 85C

NCBI Official Symbol	CCDC85C
NCBI Protein Information	coiled-coil domain-containing protein 85C
UniProt Protein Name	Coiled-coil domain-containing protein 85C
UniProt Gene Name	CCDC85C
UniProt Entry Name	CC85C_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cc85c-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/285922>