

Rabbit anti-Human PI3KCD Polyclonal Antibody | anti-PIK3CD antibody

PI3KCD Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA286223	Rabbit	Human	Western Blot, Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

PI3KCD; Polyclonal Antibody; PI3KCD Antibody (C-term); Phosphatidylinositol 4; 5-bisphosphate 3-kinase catalytic subunit delta isoform; PI3-kinase subunit delta; PI3K-delta; PI3Kdelta; PtdIns-3-kinase subunit delta; 5-bisphosphate 3-kinase 110 kDa catalytic subunit delta; PtdIns-3-kinase subunit p110-delta; p110delta; PIK3CD; anti-PIK3CD antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This PI3KCD antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 687-717 amino acids from the C-terminal region of human PI3KCD.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	687-717
Sequence Length	301
Applicable Applications for anti-PIK3CD antibody	WB (Western Blot), IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



IHC (Immunohistochemistry)
Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma; HC = hepatocarcinoma.



WB (Western Blot)
Western blot analysis of anti-PI3KCD Pab in Jurkat cell lysate. PI3KCD (arrow) was detected using purified Pab. Secondary HRP-anti-rabbit was used for signal visualization with chemiluminescence.



IF (Immunofluorescence)
Fluorescent image of HeLa cell stained with PI3KCD Antibody (C-term). HeLa cells were fixed with 4% PFA (20 min), permeabilized with Triton X-100 (0.1%, 10 min), then incubated with PI3KCD primary antibody (1:25, 1 h at 37 degree). For secondary antibody, Alexa Fluor 488 conjugated donkey anti-rabbit antibody (green) was used (1:400, 50 min at 37 degree). Cytoplasmic actin was counterstained with Alexa Fluor 555 (red) conjugated Phalloidin (7units/ml, 1 h at 37 degree). PI3KCD immunoreactivity is localized to Cytoplasm significantly.

ADDITIONAL INFORMATION

Related Product Information for anti-PIK3CD antibody	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor, generally the γ phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells, regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement and cell movement, apoptosis, and differentiation. With more than 500 gene products, the protein kinase family is one of the largest families of proteins in eukaryotes. The family has been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or serine/threonine (STK) kinase catalytic domains.
Product Categories/Family for anti-PIK3CD antibody	Immunology; Signal Transduction
References	Vanhaesebroeck, B., et al., Proc. Natl. Acad. Sci. U.S.A. 94(9):4330-4335 (1997). Chantry, D., et al., J. Biol. Chem. 272(31):19236-19241 (1997).

NCBI AND UNIPROT INFORMATION

NCBI GI #	156564405
-----------	-----------

NCBI GeneID	5293
NCBI Accession #	NP_005017.3
NCBI GenBank Nucleotide #	NM_005026.3
UniProt Accession #	O00329; O15445; Q5SR49; A6NCG0; G1FFP1
Molecular Weight	119479
NCBI Official Full Name	phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform
NCBI Official Synonym Full Names	phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit delta
NCBI Official Symbol	PIK3CD
NCBI Official Synonym Symbols	APDS; PI3K; IMD14; p110D; P110DELTA
NCBI Protein Information	phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform
UniProt Protein Name	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform
UniProt Gene Name	PIK3CD
UniProt Synonym Gene Names	PI3-kinase subunit delta; PI3K-delta; PI3Kdelta; PtdIns-3-kinase subunit delta; PtdIns-3-kinase subunit p110-delta; p110delta
UniProt Entry Name	PK3CD_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/pi3kcd-antibody-western-blot-immunofluorescence-immunohistochemistry-elisa/286223>