

Rabbit anti-Human WDR73 Polyclonal Antibody | anti-WDR73 antibody

WDR73 Antibody (N-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA288020	Rabbit	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS

WDR73; Polyclonal Antibody; WDR73 Antibody (N-term); WD repeat-containing protein 73; anti-WDR73 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This WDR73 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 44-73 amino acids from the N-terminal region of human WDR73.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	44-73
Sequence Length	378
Applicable Applications for anti-WDR73 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
WDR73 Antibody (N-term) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
WDR73 Antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the WDR73 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
WDR73 Antibody (N-term) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the WDR73 antibody detected the WDR73 protein (arrow).

ADDITIONAL INFORMATION

Product Categories/Family for anti-WDR73 antibody	Cell Biology
References	Suzuki, Y., et al. Gene 200 (1-2), 149-156 (1997)

NCBI AND UNIPROT INFORMATION

NCBI GI #	116235476
NCBI GeneID	84942
NCBI Accession #	NP_116245.2
NCBI GenBank Nucleotide #	NM_032856.3
UniProt Accession #	Q6P4I2; Q96JZ1; Q9P0B7
Molecular Weight	41685
NCBI Official Full Name	WD repeat-containing protein 73
NCBI Official Synonym Full Names	WD repeat domain 73

NCBI Official Symbol	WDR73
NCBI Official Synonym Symbols	GAMOS; HSPC264
NCBI Protein Information	WD repeat-containing protein 73
UniProt Protein Name	WD repeat-containing protein 73
UniProt Gene Name	WDR73
UniProt Entry Name	WDR73_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/wdr73-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/288020>