

Rabbit FA96A Polyclonal Antibody | anti-FAM96A antibody

FA96A Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA288716	Rabbit	Human, mouse (Predicted Reactivity: Bovine)	Immunofluorescence, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

FA96A; Polyclonal Antibody; FA96A Antibody (C-term); MIP18 family protein FAM96A; FAM96A; anti-FAM96A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, mouse (Predicted Reactivity: Bovine)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This FA96A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 109-138 amino acids from the C-terminal region of human FA96A.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	109-138
Sequence Length	102
Applicable Applications for anti-FAM96A antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES




IF (Immunofluorescence)
Confocal immunofluorescent analysis of FA96A Antibody (C-term) with WiDr cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



IHC (Immunohistochemisry)
FA96A Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FA96A Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
FA96A Antibody (C-term) western blot analysis in WiDr cell line lysates (35ug/lane). This demonstrates the FA96A antibody detected the FA96A protein (arrow).



WB (Western Blot)
FA96A Antibody (C-term) western blot analysis in mouse NIH-3T3 cell line lysates (35ug/lane). This demonstrates the FA96A antibody detected the FA96A protein (arrow).

ADDITIONAL INFORMATION

Product Categories/Family for anti-FAM96A antibody	Cell Biology
References	Gerhard, D.S., et al. Genome Res. 14 (10B), 2121-2127 (2004) :

NCBI AND UNIPROT INFORMATION

NCBI GI #	62414379
NCBI GeneID	84191
NCBI Accession #	NP_001014812.1; NP_115607.1
NCBI GenBank Nucleotide #	NM_001014812.2
UniProt Accession #	Q9H5X1; A6NKS1; B2R5F8; B7Z8Z5
Molecular Weight	18355
NCBI Official Full Name	MIP18 family protein FAM96A isoform b
NCBI Official Synonym Full Names	family with sequence similarity 96, member A

NCBI Official Symbol	FAM96A
NCBI Protein Information	MIP18 family protein FAM96A
UniProt Protein Name	MIP18 family protein FAM96A
UniProt Gene Name	FAM96A
UniProt Entry Name	FA96A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/fa96a-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/288716>