

Rabbit anti-Human EAPP Polyclonal Antibody | anti-EAPP antibody

EAPP Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA289011	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

EAPP; Polyclonal Antibody; EAPP Antibody (C-term); E2F-associated phosphoprotein; C14orf11; anti-EAPP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This EAPP antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 204-233 amino acids from the C-terminal region of human EAPP.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	204-233
Sequence Length	285
Applicable Applications for anti-EAPP antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
EAPP Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of EAPP Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
EAPP Antibody (C-term) western blot analysis in WiDr cell line lysates (35ug/lane).This demonstrates the EAPP antibody detected the EAPP protein (arrow).

ADDITIONAL INFORMATION

Related Product Information for anti-EAPP antibody	This gene encodes a phosphoprotein that interacts with several members of the E2F family of proteins. The protein localizes to the nucleus, and is present throughout the cell cycle except during mitosis. It functions to modulate E2F-regulated transcription and stimulate proliferation.
Product Categories/Family for anti-EAPP antibody	Cell Biology
References	Schwarzmayr, L., et al. Int. J. Biochem. Cell Biol. 40(12):2845-2853(2008) Lamesch, P., et al. Genomics 89(3):307-315(2007) Olsen, J.V., et al. Cell 127(3):635-648(2006) Olsen, J.V., et al. Cell 127(3):635-648(2006) Lim, J., et al. Cell 125(4):801-814(2006)

NCBI AND UNIPROT INFORMATION

NCBI GI #	117938268
NCBI GeneID	55837
NCBI Accession #	NP_060923.2
NCBI GenBank Nucleotide #	NM_018453.3
UniProt Accession #	Q56P03; Q9BVF4; Q9NWW5; Q9NZ86
Molecular Weight	32762
NCBI Official Full Name	E2F-associated phosphoprotein
NCBI Official Synonym Full Names	E2F-associated phosphoprotein
NCBI Official Symbol	EAPP
NCBI Official Synonym Symbols	BM036; C14orf11
NCBI Protein Information	E2F-associated phosphoprotein
UniProt Protein Name	E2F-associated phosphoprotein
UniProt Gene Name	EAPP

UniProt Synonym Gene Names	C14orf11; EAPP
UniProt Entry Name	EAPP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/eapp-antibody-immunohistochemistry-western-blot-elisa/289011>