

Rabbit anti-Human KRT1 Polyclonal Antibody | anti-KRT1 antibody

KRT1 Antibody (Center)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA289280	Rabbit	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


KRT1; Polyclonal Antibody; KRT1 Antibody (Center); Keratin; type II cytoskeletal 1; 67 kDa cytokeratin; Cytokeratin-1; CK-1; Hair alpha protein; Keratin-1; K1; Type-II keratin Kb1; KRTA; anti-KRT1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This KRT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 415-443 amino acids from the Central region of human KRT1.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	415-443
Sequence Length	644
Applicable Applications for anti-KRT1 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
KRT1 Antibody (Center) flow cytometric analysis of MCF-7 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
KRT1 Antibody (Center) IHC analysis in formalin fixed and paraffin embedded skin tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the KRT1 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of KRT1 Antibody (Center) in MCF-7 cell line lysates (35ug/lane). KRT1 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-KRT1 antibody	KRT1 is a member of the keratin gene family. The type II cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic keratin chains coexpressed during differentiation of simple and stratified epithelial tissues. This type II cytokeratin is specifically expressed in the spinous and granular layers of the epidermis with family member KRT10 and mutations in these genes have been associated with bullous congenital ichthyosiform erythroderma.
Product Categories/Family for anti-KRT1 antibody	Signal Transduction
References	Labudova, M., et al. J. Virol. 83(16):7842-7849(2009) Barcelos, A.C., et al. J. Cutan. Pathol. 36(6):647-654(2009) Grimberg, G., et al. Br. J. Dermatol. 160(2):446-449(2009)

NCBI AND UNIPROT INFORMATION

NCBI GI #	119395750
NCBI GeneID	3848
NCBI Accession #	NP_006112.3
NCBI GenBank Nucleotide #	NM_006121.3

UniProt Accession #	P04264 ; P85925 ; P86104 ; Q14720 ; Q6GSJ0 ; Q9H298 ; B2RA01
Molecular Weight	66039
NCBI Official Full Name	keratin, type II cytoskeletal 1
NCBI Official Synonym Full Names	keratin 1, type II
NCBI Official Symbol	KRT1
NCBI Official Synonym Symbols	K1; CK1; EHK; EHK1; EPPK; KRT1A; NEPPK
NCBI Protein Information	keratin, type II cytoskeletal 1
UniProt Protein Name	Keratin, type II cytoskeletal 1
UniProt Gene Name	KRT1
UniProt Synonym Gene Names	KRTA; CK-1; K1
UniProt Entry Name	K2C1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/krt1-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/289280>