

Rabbit anti-Human CALD1 Polyclonal Antibody | anti-CALD1 antibody

CALD1 Antibody (Center)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA289361	Rabbit	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


CALD1; Polyclonal Antibody; CALD1 Antibody (Center); Caldesmon; CDM; CAD; anti-CALD1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This CALD1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 428-457 amino acids from the Central region of human CALD1.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	428-457
Sequence Length	563
Applicable Applications for anti-CALD1 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



FCM/FACS (Flow Cytometry)
Flow cytometric analysis of NCI-H292 cells using CALD1 Antibody (Center)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
Formalin-fixed and paraffin-embedded human lung carcinoma with CALD1 Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of CALD1 antibody (Center) in A2058 cell line lysates (35ug/lane). CALD1 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-CALD1 antibody	CALD1 is a calmodulin- and actin-binding protein that plays an essential role in the regulation of smooth muscle and nonmuscle contraction. The conserved domain of this protein possesses the binding activities to Ca(2+)-calmodulin, actin, tropomyosin, myosin, and phospholipids. This protein is a potent inhibitor of the actin-tropomyosin activated myosin MgATPase, and serves as a mediating factor for Ca(2+)-dependent inhibition of smooth muscle contraction.
Product Categories/Family for anti-CALD1 antibody	Cardiovascular; Signal Transduction
References	Yoshio,T., FEBS Lett. 581 (20), 3777-3782 (2007) Mani,R.S., Biochemistry 31 (47), 11896-11901 (1992)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4826657
NCBI GeneID	800
NCBI Accession #	NP_004333.1; NP_149129.2; NP_149130.1; NP_149131.1; NP_149347.2
NCBI GenBank Nucleotide #	NM_004342.6
UniProt Accession #	Q05682; Q13978; Q13979; Q14741; Q14742; Q9UD91; A8K0X1
Molecular Weight	93231

NCBI Official Full Name	caldesmon isoform 2
NCBI Official Synonym Full Names	caldesmon 1
NCBI Official Symbol	CALD1
NCBI Official Synonym Symbols	CDM; HCAD; LCAD; H-CAD; L-CAD; NAG22
NCBI Protein Information	caldesmon
UniProt Protein Name	Caldesmon
UniProt Gene Name	CALD1
UniProt Synonym Gene Names	CAD; CDM; CDM
UniProt Entry Name	CALD1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cald1-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/289361>