

Rabbit FLI1 Polyclonal Antibody | anti-FLI1 antibody

FLI1 Antibody (N-term K67)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA289839	Rabbit	Human (Predicted Reactivity: Bovine, Mouse)	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

FLI1; Polyclonal Antibody; FLI1 Antibody (N-term K67); Friend leukemia integration 1 transcription factor; Proto-oncogene Fli-1; Transcription factor ERGB; anti-FLI1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human (Predicted Reactivity: Bovine, Mouse)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This FLI1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 52-80 amino acids from the N-terminal region of human FLI1.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	52-80
Sequence Length	259
Applicable Applications for anti-FLI1 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
FLI-1 Antibody (N-term) IHC analysis in formalin fixed and paraffin embedded human tonsil tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FLI-1 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of FLI1 antibody (N-term) in 293 cell line lysates (35ug/lane). FLI1 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-FLI1 antibody	FLI1 is a sequence-specific transcriptional activator. It recognizes the DNA sequence 5'-C[CA]GGAAGT-3'.
Product Categories/Family for anti-FLI1 antibody	Cell Biology; Metabolism
References	Embree,L.J., Cancer Res. 69 (10), 4363-4371 (2009) Torlakovic,E.E., Histol. Histopathol. 23 (11), 1309-1314 (2008) Cironi,L., PLoS ONE 3 (7), E2634 (2008)

NCBI AND UNIPROT INFORMATION

NCBI GI #	264681554
NCBI GeneID	2313
NCBI Accession #	NP_001161153.1; NP_001257939.1; NP_001257941.1; NP_002008.2
NCBI GenBank Nucleotide #	NM_001167681.2
UniProt Accession #	Q01543; Q14319; Q92480; Q9UE07; B2R8H2; B4DFV4; B4DTC6; G3V183
Molecular Weight	50982
NCBI Official Full Name	Friend leukemia integration 1 transcription factor isoform 2
NCBI Official Synonym Full Names	Fli-1 proto-oncogene, ETS transcription factor
NCBI Official Symbol	FLI1
NCBI Official Synonym Symbols	EWSR2; SIC-1
NCBI Protein Information	Friend leukemia integration 1 transcription factor
UniProt Protein Name	Friend leukemia integration 1 transcription factor
UniProt Gene Name	FLI1
UniProt Entry Name	FLI1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

