

Rabbit MRE11 Polyclonal Antibody | anti-MRE11 antibody

MRE11 Polyclonal Antibody

CATALOG # AAA29072	HOST Rabbit	REACTIVITY Human, Mouse, Rat, Monkey	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

MRE11; Polyclonal Antibody; MRE11 Polyclonal Antibody; MRE11A; HNGS1; Double-strand break repair protein MRE11A; Meiotic recombination 11 homolog 1; MRE11 homolog 1; Meiotic recombination 11 homolog A; MRE11 homolog A; anti-MRE11 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Monkey
Clonality	Polyclonal
Applicable Applications for anti-MRE11 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.




Application Data

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-MRE11 antibody

Component of the MRN complex, which plays a central role in double-strand break (DSB) repair, DNA recombination, maintenance of telomere integrity and meiosis. The complex possesses single-strand endonuclease activity and double-strand- specific 3'-5' exonuclease activity, which are provided by MRE11. RAD50 may be required to bind DNA ends and hold them in close proximity. This could facilitate searches for short or long regions of sequence homology in the recombining DNA templates, and may also stimulate the activity of DNA ligases and/or restrict the nuclease activity of MRE11 to prevent nucleolytic degradation past a given point (PubMed:9590181, PubMed:9705271, PubMed:11741547, PubMed:29670289). The complex may also be required for DNA damage signaling via activation of the ATM kinase (PubMed:15064416). In telomeres the MRN complex may modulate t-loop formation (PubMed:10888888).

NCBI AND UNIPROT INFORMATION

NCBI GI #	24234690
NCBI GeneID	4361
NCBI Accession #	NP_005581.2
NCBI GenBank Nucleotide #	NM_005590.3
UniProt Accession #	P49959 ; O43475
Molecular Weight	80,593 Da
NCBI Official Full Name	double-strand break repair protein MRE11A isoform 2
NCBI Official Synonym Full Names	MRE11 meiotic recombination 11 homolog A (S. cerevisiae)

NCBI Official Symbol	MRE11A
NCBI Official Synonym Symbols	ATLD; HNGS1; MRE11; MRE11B
NCBI Protein Information	double-strand break repair protein MRE11A; AT-like disease; MRE11 homolog 1; MRE11 homolog A; endo/exonuclease Mre11; meiotic recombination 11 homolog 1; meiotic recombination 11 homolog A; DNA recombination and repair protein
UniProt Protein Name	Double-strand break repair protein MRE11A
UniProt Gene Name	MRE11A
UniProt Synonym Gene Names	HNGS1; MRE11; MRE11 homolog 1
UniProt Entry Name	MRE11_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/mre11-antibody-western-blot-immunohistochemistry-elisa/29072>