

Rabbit UCH-L1 Polyclonal Antibody | anti-UCH-L1 antibody

UCH-L1 Polyclonal Antibody

CATALOG # AAA29154	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

UCH-L1; Polyclonal Antibody; UCH-L1 Polyclonal Antibody; UCHL1; Ubiquitin carboxyl-terminal hydrolase isozyme L1; Neuron cytoplasmic protein 9.5; PGP 9.5; PGP9.5; Ubiquitin thioesterase L1; anti-UCH-L1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-UCH-L1 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-UCH-L1 antibody

Ubiquitin-protein hydrolase involved both in the processing of ubiquitin precursors and of ubiquitinated proteins (Probable). This enzyme is a thiol protease that recognizes and hydrolyzes a peptide bond at the C-terminal glycine of ubiquitin (PubMed:8639624, PubMed:12408865, PubMed:23359680). Also binds to free monoubiquitin and may prevent its degradation in lysosomes (By similarity). The homodimer may have ATP-independent ubiquitin ligase activity (PubMed:12408865).

NCBI AND UNIPROT INFORMATION

NCBI GI #	21361091
NCBI GeneID	7345
NCBI Accession #	NP_004172.2
NCBI GenBank Nucleotide #	NM_004181.4
UniProt Accession #	P09936; Q4W5K6; Q71UM0
Molecular Weight	24,824 Da
NCBI Official Full Name	ubiquitin carboxyl-terminal hydrolase isozyme L1
NCBI Official Synonym Full Names	ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)
NCBI Official Symbol	UCHL1
NCBI Official Synonym Symbols	PARK5; PGP95; PGP9.5; Uch-L1; PGP 9.5
NCBI Protein Information	ubiquitin carboxyl-terminal hydrolase isozyme L1; ubiquitin thioesterase L1; neuron cytoplasmic protein 9.5; ubiquitin C-terminal hydrolase
UniProt Protein Name	Ubiquitin carboxyl-terminal hydrolase isozyme L1
UniProt Gene Name	UCHL1
UniProt Synonym Gene Names	UCH-L1; PGP9.5
UniProt Entry Name	UCHL1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/uch-l1-antibody-western-blot-immunohistochemistry-elisa/29154>