

Rabbit anti-Human Eotaxin-3 Polyclonal Antibody | anti-CCL26 antibody

Eotaxin-3 Polyclonal Antibody

CATALOG # AAA29157	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

Eotaxin-3; Polyclonal Antibody; Eotaxin-3 Polyclonal Antibody; CCL26; SCYA26; C-C motif chemokine 26; CC chemokine IMAC; Macrophage inflammatory protein 4-alpha; MIP-4-alpha; Small-inducible cytokine A26; Thymic stroma chemokine-1; TSC-1; anti-CCL26 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-CCL26 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-CCL26 antibody

Chemoattractant for eosinophils and basophils (PubMed:10488147). Acts as a ligand for C-C chemokine receptor CCR3 which triggers Ca (2+) mobilization in eosinophils (PubMed:10488147, PubMed:11425309).

NCBI AND UNIPROT INFORMATION

NCBI GI #	5174671
NCBI GeneID	10344
NCBI Accession #	NP_006063.1
NCBI GenBank Nucleotide #	NM_006072.4
UniProt Accession #	Q9Y258; Q52LV8; A0N0Q5
Molecular Weight	10,648 Da
NCBI Official Full Name	C-C motif chemokine 26
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 26
NCBI Official Symbol	CCL26
NCBI Official Synonym Symbols	IMAC; TSC-1; MIP-4a; SCYA26; MIP-4alpha
NCBI Protein Information	C-C motif chemokine 26; CC chemokine IMAC; MIP-4-alpha; chemokine N1; eotaxin-3; macrophage inflammatory protein 4-alpha; small inducible cytokine A26; small inducible cytokine subfamily A (Cys-Cys), member 26; small-inducible cytokine A26; thymic stroma
UniProt Protein Name	C-C motif chemokine 26
UniProt Gene Name	CCL26
UniProt Synonym Gene Names	SCYA26; MIP-4-alpha; TSC-1
UniProt Entry Name	CCL26_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/eotaxin-3-antibody-western-blot-immunohistochemistry-elisa/29157>