

Rabbit anti-Human IL-16 Polyclonal Antibody | anti-IL-16 antibody

IL-16 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29165	Rabbit	Human	Western Blot, Immunohistochemistry


PRODUCT SYNONYMS

IL-16; Polyclonal Antibody; IL-16 Polyclonal Antibody; IL16; Pro-interleukin-16; anti-IL-16 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-IL-16 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IL-16 antibody

Interleukin-16 stimulates a migratory response in CD4+ lymphocytes, monocytes, and eosinophils. Primes CD4+ T-cells for IL-2 and IL-15 responsiveness. Also induces T-lymphocyte expression of interleukin 2 receptor. Ligand for CD4. Isoform 3 is involved in cell cycle progression in T- cells. Appears to be involved in transcriptional regulation of SKP2 and is probably part of a transcriptional repression complex on the core promoter of the SKP2 gene. May act as a scaffold for GABPB1 (the DNA-binding subunit the GABP transcription factor complex) and HDAC3 thus maintaining transcriptional repression and blocking cell cycle progression in resting T-cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	223460532
NCBI GeneID	3603
UniProt Accession #	Q14005; Q16435; Q6VVE6; Q6ZMQ7; Q9UP18; A6NM20; A8MU65; B9EGR6
Molecular Weight	141,752 Da
NCBI Official Full Name	IL16 protein
NCBI Official Synonym Full Names	interleukin 16
NCBI Official Symbol	IL16
NCBI Official Synonym Symbols	LCF; NIL16; PRIL16; prIL-16
NCBI Protein Information	pro-interleukin-16; prointerleukin 16; neuronal interleukin 16; lymphocyte chemoattractant factor
UniProt Protein Name	Pro-interleukin-16
UniProt Gene Name	IL16
UniProt Synonym Gene Names	IL-16; LCF
UniProt Entry Name	IL16_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/il-16-antibody-western-blot-immunohistochemistry-elisa/29165>