

Rabbit RUFY4/FLJ46536 Polyclonal Antibody | anti-RUFY4/FLJ46536 antibody

RUFY4/FLJ46536 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291650	Rabbit	Rat, Pig, Dog	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

RUFY4/FLJ46536; Polyclonal Antibody; RUFY4/FLJ46536 Polyclonal Antibody; RUN and FYVE domain-containing protein 4; RUFY4; anti-RUFY4/FLJ46536 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Dog
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-RUFY4/FLJ46536 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IF (Immunofluorescence)

Dilution: Paraformaldehyde-fixed, paraffin embedded (Rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RUFY4/FLJ46536) Polyclonal Antibody, Unconjugated (bs-16146R) at 1:400 overnight at 4 degree C, followed by a conjugated secondary antibody (bs-0295G-cy3) for 90 minutes, and DAPI for nuclei staining.



IF (Immunofluorescence)

Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RUFY4/FLJ46536) Polyclonal Antibody, Unconjugated (bs-16146R) at 1:400 overnight at 4 degree C, followed by a conjugated secondary antibody (bs-0295G-cy3) for 90 minutes, and DAPI for nuclei staining.



IHC (Immunohistochemistry)
Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RUFY4) Polyclonal Antibody, Unconjugated (bs-16146R) at 1:500 overnight at 4 degree C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	282165733
NCBI GeneID	285180
NCBI Accession #	NP_940885.2
NCBI GenBank Nucleotide #	NM_198483.3
UniProt Accession #	Q6ZNE9; Q6ZR96
Molecular Weight	64,350 Da
NCBI Official Full Name	RUN and FYVE domain-containing protein 4
NCBI Official Synonym Full Names	RUN and FYVE domain containing 4
NCBI Official Symbol	RUFY4
NCBI Protein Information	RUN and FYVE domain-containing protein 4
UniProt Protein Name	RUN and FYVE domain-containing protein 4
UniProt Gene Name	RUFY4
UniProt Entry Name	RUFY4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/rufy4-flj46536-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-elisa/291650>