

Rabbit anti-Rat C9orf86 Polyclonal Antibody | anti-C9orf86 antibody

C9orf86 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA292200	Rabbit	Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

C9orf86; Polyclonal Antibody; C9orf86 Polyclonal Antibody; Rab-like protein 6; GTP-binding protein Parf; Partner of ARF; Rab-like protein 1; RBEL1; RABL6; PARF; anti-C9orf86 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-C9orf86 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES





WB (Western Blot)

Sample: Stomach (Mouse) Lysate at 40 ug
Primary: Anti-C9orf86 (bs-9545R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 80 kD
Observed band size: 80 kD



IHC (Immunohistochemistry)

Dilution: Paraformaldehyde-fixed, paraffin embedded (mouse stomach); Antigen retrieval by boiling in sodium citrate buffer (pH 6.0) for 15 min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30 min; Antibody incubation with (C9orf86) Polyclonal Antibody, Unconjugated (bs-9545R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit (Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (human gastric carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (C9orf86) Polyclonal Antibody, Unconjugated (bs-9545R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (C9orf86) Polyclonal Antibody, Unconjugated (bs-9545R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	186700623
NCBI GeneID	55684
NCBI Accession #	NP_078994
NCBI GenBank Nucleotide #	NM_024718
UniProt Accession #	Q3YEC7; Q4F968; Q5T5R7; Q8IWK1; Q8TCL4; Q8WU94; Q96SR8; Q9BU21; A8QVZ7; A8QVZ8; C6K8I4; C6K8I5
Molecular Weight	35,809 Da
NCBI Official Full Name	rab-like protein 6 isoform 1
NCBI Official Synonym Full Names	RAB, member RAS oncogene family-like 6
NCBI Official Symbol	RABL6
NCBI Official Synonym Symbols	PARF; RBEL1; pp8875; C9orf86
NCBI Protein Information	rab-like protein 6; Rab-like GTP-binding protein 1C; partner of ARF; putative GTP-binding protein Parf
UniProt Protein Name	Rab-like protein 6
UniProt Gene Name	RABL6
UniProt Synonym Gene Names	C9orf86; PARF; RBEL1
UniProt Entry Name	RABL6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/c9orf86-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/292200>