

Rabbit GDF-6 Polyclonal Antibody | anti-GDF-6 antibody

GDF-6 Polyclonal Antibody

CATALOG # AAA29313	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

GDF-6; Polyclonal Antibody; GDF-6 Polyclonal Antibody; GDF6; GDF16; Growth/differentiation factor 6; Growth/differentiation factor 16; anti-GDF-6 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-GDF-6 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



Application Data

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-GDF-6 antibody

Growth factor that controls proliferation and cellular differentiation in the retina and bone formation. Plays a key role in regulating apoptosis during retinal development. Establishes dorsal-ventral positional information in the retina and controls the formation of the retinotectal map (PubMed:23307924). Required for normal formation of bones and joints in the limbs, skull, digits and axial skeleton. Plays a key role in establishing boundaries between skeletal elements during development. Regulation of GDF6 expression seems to be a mechanism for evolving species-specific changes in skeletal structures. Seems to positively regulate differentiation of chondrogenic tissue through the growth factor receptors subunits BMPR1A, BMPR1B, BMPR2 and ACVR2A, leading to the activation of SMAD1-SMAD5-SMAD8 complex. The regulation of chondrogenic differentiation is inhibited by NOG (PubMed:26643732). Also involved in the induction of adipogenesis from mesenchymal stem cells. This mechanism acts through the growth factor receptors subunits BMPR1A, BMPR2 and ACVR2A and the activation of SMAD1-SMAD5-SMAD8 complex and MAPK14/p38 (By similarity).

NCBI AND UNIPROT INFORMATION

NCBI GI #	48475062
NCBI GeneID	392255
NCBI Accession #	NP_001001557.1
NCBI GenBank Nucleotide #	NM_001001557.2
UniProt Accession #	Q6KFI0 ; Q6PI58
Molecular Weight	50,662 Da
NCBI Official Full Name	growth/differentiation factor 6

NCBI Official Synonym Full Names	growth differentiation factor 6
NCBI Official Symbol	GDF6
NCBI Official Synonym Symbols	KFM; KFS; KFS1; KFSL; SGM1; BMP13; CDMP2; MCOP4; SCDO4; MCOPCB6
NCBI Protein Information	growth/differentiation factor 6; GDF-6; Klippel-Feil syndrome; Klip-Feil malformation; Klippel-Feil malformation; growth/differentiation factor 16
UniProt Protein Name	Growth/differentiation factor 6
UniProt Gene Name	GDF6
UniProt Synonym Gene Names	GDF16; GDF-6
UniProt Entry Name	GDF6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/gdf-6-antibody-western-blot-elisa/29313>