

Rabbit anti-Human, Mouse Pinin Polyclonal Antibody | anti-PNN antibody

Pinin Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA295605	Rabbit	Human, Mouse	Western Blot


PRODUCT SYNONYMS

Pinin; Polyclonal Antibody; Pinin Polyclonal Antibody; PNN; DRS; MEMA; 140 kDa nuclear and cell adhesion-related phosphoprotein; Desmosome-associated protein; Domain-rich serine protein; DRS protein; DRSP; Melanoma metastasis clone A protein; Nuclear protein SDK3; SR-like protein; anti-PNN antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Applicable Applications for anti-PNN antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-PNN antibody

Transcriptional activator binding to the E-box 1 core sequence of the E-cadherin promoter gene; the core-binding sequence is 5'CAGGTG-3'. Capable of reversing CTBP1-mediated transcription repression. Auxiliary component of the splicing- dependent multiprotein exon junction complex (EJC) deposited at splice junction on mRNAs. The EJC is a dynamic structure consisting of core proteins and several peripheral nuclear and cytoplasmic associated factors that join the complex only transiently either during EJC assembly or during subsequent mRNA metabolism. Participates in the regulation of alternative pre-mRNA splicing. Associates to spliced mRNA within 60 nt upstream of the 5'-splice sites. Component of the PSAP complex which binds RNA in a sequence-independent manner and is proposed to be recruited to the EJC prior to or during the splicing process and to regulate specific excision of introns in specific transcription subsets. Involved in the establishment and maintenance of epithelia cell- cell adhesion. Potential tumor suppressor for renal cell carcinoma.

NCBI AND UNIPROT INFORMATION

NCBI GI #	33356174
NCBI GeneID	5411
NCBI Accession #	NP_002678.2
NCBI GenBank Nucleotide #	NM_002687.3
UniProt Accession #	Q9H307; O60899; Q53EM7; Q6P5X4; Q7KYL1; Q99738; Q9UHZ9; Q9UQR9; B4DZX8
Molecular Weight	81,614 Da
NCBI Official Full Name	pinin
NCBI Official Synonym Full Names	pinin, desmosome associated protein
NCBI Official Symbol	PNN
NCBI Official Synonym Symbols	DRS; DRSP; SDK3; memA
NCBI Protein Information	pinin; SR-like protein; neutrophil protein; nuclear protein SDK3; domain-rich serine protein; desmosome-associated protein; melanoma metastasis clone A protein; 140 kDa nuclear and cell adhesion-related phosphoprotein
UniProt Protein Name	Pinin
UniProt Gene Name	PNN
UniProt Synonym Gene Names	DRS; MEMA; DRS protein; DRSP
UniProt Entry Name	PININ_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/pinin-antibody-western-blot-elisa/295605>