

Rabbit anti-Human, Mouse CLEC7A Polyclonal Antibody | anti-CLEC7A antibody

CLEC7A Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29717	Rabbit	Human, Mouse	Western Blot, Immunohistochemistry

PRODUCT SYNONYMS


CLEC7A; Polyclonal Antibody; CLEC7A Antibody; BGR; CANDF4; DECTIN1; CLECSF12; anti-CLEC7A antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Specificity	The antibody detects endogenous levels of total CLEC7A protein.
Purity/Purification	Antigen affinity purification.
Form/Format	Rabbit IgG in pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol.
Concentration	0.2 mg/ml (varies by lot)
Sequence Length	201
Applicable Applications for anti-CLEC7A antibody	WB (Western Blot), IHC (Immunohistochemistry)
Application Notes	Western blotting: 1:500-1:2000 Immunohistochemistry: 1:10-1:50
Immunogen Type	Recombinant Protein
Immunogen Description	Full length fusion protein
Target Name	CLEC7A
Preparation and Storage	Store at -20°C.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded Human colon cancer tissue using AAA29717 at dilution 1/5.



Application Data
Gel: 12%SDS-PAGE Lysates (from left to right): SP20 and RAW264.7 cell Amount of lysate: 40ug per lane Primary antibody: 1/200 dilution Secondary antibody dilution: 1/8000 Exposure time: 30 seconds

ADDITIONAL INFORMATION

Related Product Information for anti-CLEC7A antibody	This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. The encoded glycoprotein is a small type II membrane receptor with an extracellular C-type lectin-like domain fold and a cytoplasmic domain with an immunoreceptor tyrosine-based activation motif. It functions as a pattern-recognition receptor that recognizes a variety of beta-1,3-linked and beta-1,6-linked glucans from fungi and plants, and in this way plays a role in innate immune response. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer gene complex region.
Product Categories/Family for anti-CLEC7A antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	13384604
NCBI GeneID	64581
NCBI Accession #	NP_072092.2
NCBI GenBank Nucleotide #	NM_022570.4
UniProt Accession #	Q9BXN2; Q6IPS7; Q96D32; Q96DR9; Q96LD3; Q96PA4; Q96PA5; Q96PA6; B2R861; B7Z494; B7Z5A9; B7Z5B9
Molecular Weight	SDS-PAGE MW: 28kd
NCBI Official Full Name	C-type lectin domain family 7 member A isoform b
NCBI Official Synonym Full Names	C-type lectin domain family 7, member A
NCBI Official Symbol	CLEC7A
NCBI Official Synonym Symbols	BGR; CD369; CANDF4; DECTIN1; CLECSF12
NCBI Protein Information	C-type lectin domain family 7 member A
UniProt Protein Name	C-type lectin domain family 7 member A
UniProt Gene Name	CLEC7A
UniProt Synonym Gene Names	BGR; CLECSF12; DECTIN1; DC-associated C-type lectin 1; Dectin-1
UniProt Entry Name	CLC7A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/clec7a-antibody-western-blot-immunohistochemistry-elisa/29717>