

Rabbit anti-Human CD3E Polyclonal Antibody | anti-CD3E antibody

CD3E antibody (C-term)


CATALOG # AAA297742	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot
-------------------------------	-----------------------	----------------------------	-------------------------------------

PRODUCT SYNONYMS


CD3E; Polyclonal Antibody; CD3E antibody (C-term); T-cell surface glycoprotein CD3 epsilon chain; T-cell surface antigen T3/Leu-4 epsilon chain; CD3e; T3E; R04078; anti-CD3E antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	This antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between amino acids from human.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Applicable Applications for anti-CD3E antibody	WB (Western Blot)
Antigen Source	Human
Antigen Type	Recombinant Protein
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



WB (Western Blot)
All lanes: Anti-CD3E antibody (C-term) at 1:2000 dilution
Lane 1: Jurkat whole cell lysate
Lane 2: CCRF-CEM whole cell lysate
Lane 3: HuT78 whole cell lysate
Lysates/proteins at 20 ug per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 23 KDa
Blocking/Dilution buffer: 5% NFDm/TBST. Dilution: WB 1:2000



WB (Western Blot)
All lanes: Anti-CD3E antibody (C-term) at 1:2000 dilution + Jurkat whole cell lysate
Lysates/proteins at 20 ug per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 23 KDa
Blocking/Dilution buffer: 5% NFDm/TBST. Dilution: WB 1:2000

ADDITIONAL INFORMATION

Related Product Information for anti-CD3E antibody	Part of the TCR-CD3 complex present on T-lymphocyte cell surface that plays an essential role in adaptive immune response. When antigen presenting cells (APCs) activate T-cell receptor (TCR), TCR- mediated signals are transmitted across the cell membrane by the CD3 chains CD3D, CD3E, CD3G and CD3Z. All CD3 chains contain immunoreceptor tyrosine-based activation motifs (ITAMs) in their cytoplasmic domain. Upon TCR engagement, these motifs become phosphorylated by Src family protein tyrosine kinases LCK and FYN, resulting in the activation of downstream signaling pathways (PubMed:2470098). In addition of this role of signal transduction in T-cell activation, CD3E plays an essential role in correct T-cell development. Initiates the TCR-CD3 complex assembly by forming the two heterodimers CD3D/CD3E and CD3G/CD3E. Participates also in internalization and cell surface down- regulation of TCR-CD3 complexes via endocytosis sequences present in CD3E cytosolic region (PubMed: 10384095, PubMed:26507128).
Product Categories/Family for anti-CD3E antibody	New Antibodies; Primary Antibodies; Cancer; Immunology; Stem Cells
References	Gold D.P.,et al.Nature 321:431-434 (1986).Terhorst C.,et al.Submitted (JAN-1987) to the EMBL/GenBank/DDBJ databases.Clevers H.C.,et al.Proc. Natl. Acad. Sci. U.S.A. 85:8156-8160 (1988).Ota T.,et al.Nat. Genet. 36:40-45 (2004).Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.

NCBI AND UNIPROT INFORMATION

NCBI GI #	1345708
NCBI GeneID	916
UniProt Accession #	P07766; A8K997
Molecular Weight	207
NCBI Official Full Name	T-cell surface glycoprotein CD3 epsilon chain
NCBI Official Synonym Full Names	CD3e molecule, epsilon (CD3-TCR complex)
NCBI Official Symbol	CD3E
NCBI Official Synonym Symbols	T3E; TCRE; IMD18
NCBI Protein Information	T-cell surface glycoprotein CD3 epsilon chain; CD3-epsilon; T-cell surface antigen T3/Leu-4 epsilon chain; CD3e antigen, epsilon polypeptide (TIT3 complex); T-cell antigen receptor complex, epsilon subunit of T3
UniProt Protein Name	T-cell surface glycoprotein CD3 epsilon chain

UniProt Gene Name	CD3E
UniProt Synonym Gene Names	T3E
UniProt Entry Name	CD3E_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cd3e-antibody-western-blot-elisa/297742>