

Rabbit CRTH2 Polyclonal Antibody | anti-CRTH2 antibody

CRTH2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA301204	Rabbit	Human, Mouse, Rat	Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

CRTH2; Polyclonal Antibody; CRTH2 Antibody; Chemoattractant receptor-homologous molecule expressed on Th2 cells; GPR44; anti-CRTH2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	Affinity chromatography purified via peptide column
Form/Format	Supplied in PBS containing 0.02% sodium azide.
Sequence Length	395
Applicable Applications for anti-CRTH2 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen Type	Peptide
Immunogen Description	Raised against a 18 amino acid peptide from near the amino terminus of human CRTH2.
Target Name	CRTH2
Preparation and Storage	Can be stored at -20 degree C, stable for one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of CRTH2 in human heart tissue with CRTH2 antibody at 2.5 ug/mL.


WB (Western Blot)

Western blot analysis of CRTH2 in Jurkat cell lysate with CRTH2 antibody at 1 ug/mL in (A) the absence and (B) presence of blocking peptide.

ADDITIONAL INFORMATION

Related Product Information for anti-CRTH2 antibody	The chemoattractant receptor-homologous molecule expressed on Th2 cells (CRTH2) is a recently identified receptor for the prostaglandin D2 (PGD2) in addition to the classic prostaglandin D receptor. CRTH2 is expressed on Th2 cells and eosinophils and mediates chemotaxis of these cells to PGD2 and is thus thought to be a key receptor mediating eosinophil and Th2 recruitment during allergic responses. However, CRTH2-null mice showed enhanced eosinophil recruitment into the lung consistent with observations that the CRTH2-null mice produced significantly higher amounts of interleukin-5 (IL-5) and IL-3. This suggests that CRTH2 plays a nonredundant role in restricting eosinophilia and allergic response in vivo. At least two different isoforms of CRTH2 are known to exist.
Product Categories/Family for anti-CRTH2 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	153791424
NCBI GeneID	11251
NCBI Accession #	NP_004769
NCBI GenBank Nucleotide #	NM_004778.2
Molecular Weight	43,268 Da
NCBI Official Full Name	prostaglandin D2 receptor 2
NCBI Official Synonym Full Names	prostaglandin D2 receptor 2
NCBI Official Symbol	PTGDR2
NCBI Official Synonym Symbols	DP2; DL1R; CD294; CRTH2; GPR44
NCBI Protein Information	prostaglandin D2 receptor 2
UniProt Protein Name	Prostaglandin D2 receptor 2
UniProt Gene Name	PTGDR2
UniProt Synonym Gene Names	CRTH2; DL1R; GPR44
UniProt Entry Name	PD2R2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/crth2-antibody-immunohistochemistry-western-blot-elisa/301204>