

Rabbit anti-Human, Mouse NGFR Polyclonal Antibody | anti-NGFR antibody

NGFR Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA303445	Rabbit	Human, Mouse	Immunocytochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

NGFR; Polyclonal Antibody; NGFR Antibody; p75NTR; TNFRSF16; anti-NGFR antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Affinity chromatography purified via peptide column
Form/Format	Supplied in PBS containing 0.02% sodium azide.
Sequence Length	427
Applicable Applications for anti-NGFR antibody	ICC (Immunocytochemistry), WB (Western Blot), ELISA
Immunogen Type	Recombinant protein
Immunogen Description	Raised against purified recombinant human NGFR.
Target Name	NGFR
Preparation and Storage	Can be stored at -20 degree C, stable for one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

IMAGES


ICC (Immunocytochemistry)

Immunocytochemistry of NGFR in A20 cells with NGFR antibody at 10 ug/mL.


WB (Western Blot)

Western blot analysis of (A) 25 ng, (B) 50 ng, and (C) 100 ng of purified recombinant NGFR with NGFR antibody at 1 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for anti-NGFR antibody	The tumor necrosis factor (TNF) and TNF receptor (TNFR) gene superfamilies regulate numerous biological functions including cell proliferation, differentiation, and survival through regulating the activation of the transcription factor NF-kB and various mitogen-activated protein kinases. Nerve growth factor receptor (NGFR) was one of the earliest characterized members of this family. Also known as the low-affinity receptor p75NTR, this receptor is involved in several diverse functions such as apoptosis, neurite outgrowth during development, and myelination. Its ligands include NGF, brain-derived neurotrophic factor (BDNF), NT3, and NT4. NGFR can also associate with other NGF receptors such as Trk through the cytosolic and transmembrane domains and thus can function as a co-receptor that refines Trk affinity and specificity for neurotrophins. Finally, upon binding of various neurotrophins, NGFR associates with tumor necrosis factor receptor-6 (TRAF6), suggesting that it can potentially function as a signal transducer for NGF signals through NGFR.
Product Categories/Family for anti-NGFR antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	4505393
NCBI GeneID	4804
NCBI Accession #	NP_002498
NCBI GenBank Nucleotide #	NM_002507.3
Molecular Weight	35,767 Da
NCBI Official Full Name	tumor necrosis factor receptor superfamily member 16
NCBI Official Synonym Full Names	nerve growth factor receptor
NCBI Official Symbol	NGFR
NCBI Official Synonym Symbols	CD271; p75NTR; TNFRSF16; p75(NTR); Gp80-LNGFR
NCBI Protein Information	tumor necrosis factor receptor superfamily member 16
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 16
UniProt Gene Name	NGFR
UniProt Synonym Gene Names	TNFRSF16; NGF receptor
UniProt Entry Name	TNR16_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/ngfr-antibody-immunocytochemistry-western-blot-elisa/303445>