

Rabbit anti-Human, Mouse CRYAB Polyclonal Antibody | anti-CRYAB antibody

CRYAB Antibody

CATALOG # AAA303462	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	-----------------------------------	---


PRODUCT SYNONYMS

CRYAB; Polyclonal Antibody; CRYAB Antibody; CRYA2; CTPP2; HSPB5; CMD1II; anti-CRYAB antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Specificity	The antibody detects endogenous levels of total CRYAB protein.
Purity/Purification	Antigen affinity purification.
Form/Format	Rabbit IgG in pH7.3 PBS, 0.05% NaN ₃ , 50% Glycerol.
Concentration	1 mg/ml (varies by lot)
Sequence Length	175
Applicable Applications for anti-CRYAB antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Full length fusion protein
Target Name	CRYAB
Preparation and Storage	Store at -20 degree C

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded Human esophagus cancer tissue using at dilution 1/25.



Application Data

Gel: 12%SDS-PAGE Lysates (from left to right): Mouse heart and human chromaffin cell tumor tissue, mouse muscle tissue Amount of lysate: 40ug per lane Primary antibody: 1/500 dilution Secondary antibody dilution: 1/8000 Exposure time: 1 minute

ADDITIONAL INFORMATION

Related Product Information for anti-CRYAB antibody	Crystallins are separated into two classes: taxon-specific, or enzyme, and ubiquitous. The latter class constitutes the major proteins of vertebrate eye lens and maintains the transparency and refractive index of the lens. Since lens central fiber cells lose their nuclei during development, these crystallins are made and then retained throughout life, making them extremely stable proteins. Mammalian lens crystallins are divided into alpha, beta, and gamma families; beta and gamma crystallins are also considered as a superfamily. Alpha and beta families are further divided into acidic and basic groups. Seven protein regions exist in crystallins: four homologous motifs, a connecting peptide, and N- and C-terminal extensions. Alpha crystallins are composed of two gene products: alpha-A and alpha-B, for acidic and basic, respectively. Alpha crystallins can be induced by heat shock and are members of the small heat shock protein (sHSP also known as the HSP20) family. They act as molecular chaperones although they do not renature proteins and release them in the fashion of a true chaperone; instead they hold them in large soluble aggregates. Post-translational modifications decrease the ability to chaperone. These heterogeneous aggregates consist of 30-40 subunits; the alpha-A and alpha-B subunits have a 3:1 ratio, respectively. Two additional functions of alpha crystallins are an autokinase activity and participation in the intracellular architecture. Alpha-A and alpha-B gene products are differentially expressed; alpha-A is preferentially restricted to the lens and alpha-B is expressed widely in many tissues and organs. Elevated expression of alpha-B crystallin occurs in many neurological diseases; a missense mutation cosegregated in a family with a desmin-related myopathy.
Product Categories/Family for anti-CRYAB antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	577019571
NCBI GeneID	1410
NCBI Accession #	NP_001276736.1
NCBI GenBank Nucleotide #	NM_001289807.1
UniProt Accession #	P02511; O43416; Q9UC37; Q9UC38; Q9UC39; Q9UC40; Q9UC41; B0YIX0
Molecular Weight	20,159 Da
NCBI Official Full Name	alpha-crystallin B chain
NCBI Official Synonym Full Names	crystallin, alpha B
NCBI Official Symbol	CRYAB
NCBI Official Synonym Symbols	MFM2; CRYA2; CTPP2; HSPB5; CMD1II; CTRCT16; HEL-S-101
NCBI Protein Information	alpha-crystallin B chain
UniProt Protein Name	Alpha-crystallin B chain
UniProt Gene Name	CRYAB
UniProt Synonym Gene Names	CRYA2; HspB5
UniProt Entry Name	CRYAB_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cryab-antibody-immunohistochemistry-western-blot-elisa/303462>