

Rabbit anti-Human, Mouse Factor VII Polyclonal Antibody | anti-F7 antibody

Factor VII antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA305434	Rabbit	Human, Mouse	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Factor VII; Polyclonal Antibody; Factor VII antibody; anti-F7 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Purified by antigen-affinity chromatography.
Form/Format	Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a preservative.
Sequence Length	466
Applicable Applications for anti-F7 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant protein
Immunogen Description	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 209 and 444 of Factor VII
Target Name	Factor VII
Preparation and Storage	Store at -20 degree C for long term preservation (recommended). Store at 4 degree C for short term use.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded normal gastric epithelium (gland), using F7 antibody at 1: 100 dilution.



Application Data

Sample(30 ug of whole cell lysate)A: H12997.5% SDS PAGEPrimary antibody diluted at 1: 500

ADDITIONAL INFORMATION

Related Product Information for anti-F7 antibody	This gene encodes coagulation factor VII which is a vitamin K-dependent factor essential for hemostasis. This factor circulates in the blood in a zymogen form, and is converted to an active form by either factor IXa, factor Xa, factor XIIa, or thrombin by minor proteolysis. Upon activation of the factor VII, a heavy chain containing a catalytic domain and a light chain containing 2 EGF-like domains are generated, and two chains are held together by a disulfide bond. In the presence of factor III and calcium ions, the activated factor then further activates the coagulation cascade by converting factor IX to factor IXa and/or factor X to factor Xa. Alternative splicing of this gene results in 2 transcripts. Defects in this gene can cause coagulopathy. [provided by RefSeq]
Product Categories/Family for anti-F7 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503645
NCBI GeneID	2155
NCBI Accession #	NP_000122
NCBI GenBank Nucleotide #	NM_000131.4
Molecular Weight	49,320 Da
NCBI Official Full Name	coagulation factor VII isoform a preproprotein
NCBI Official Synonym Full Names	coagulation factor VII (serum prothrombin conversion accelerator)
NCBI Official Symbol	F7
NCBI Official Synonym Symbols	SPCA
NCBI Protein Information	coagulation factor VII
UniProt Protein Name	Coagulation factor VII
UniProt Gene Name	F7
UniProt Synonym Gene Names	SPCA
UniProt Entry Name	FA7_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/factor-vii-antibody-immunohistochemistry-western-blot-elisa/305434>