

Rabbit MMP9 Polyclonal Antibody | anti-MMP9 antibody

MMP9 Rabbit Polyclonal Antibody

CATALOG # AAA30591	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

MMP9; Polyclonal Antibody; MMP9 Rabbit Polyclonal Antibody; CLG4B; GELB; MANDP2; MMP-9; anti-MMP9 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-MMP9 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Application Notes	WB: 1:500-1:2000 IHC: 1:100-1:200
Immunogen	A synthetic peptide of human MMP9 (NP_004985.2).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat spleen using MMP9 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse spleen using MMP9 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human liver using MMP9 at dilution of 1:100 (40x lens).




WB (Western Blot)

Western blot analysis of extracts of various cell lines, using MMP9 at 1:1000 dilution.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human stomach using MMP9 at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human esophagus using MMP9 at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Related Product Information for anti-MMP9 antibody

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by this gene degrades type IV and V collagens. Studies in rhesus monkeys suggest that the enzyme is involved in IL-8-induced mobilization of hematopoietic progenitor cells from bone marrow, and murine studies suggest a role in tumor-associated tissue remodeling.

Product Categories/Family for anti-MMP9 antibody

[Primary Antibody](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	74272287
NCBI GeneID	4318
NCBI Accession #	NP_004985.2
NCBI GenBank Nucleotide #	NM_004994.2
UniProt Accession #	P14780 ; Q3LR70 ; Q8N725 ; Q9H4Z1 ; Q9UCJ9 ; Q9UCL1 ; Q9UDK2 ; B2R7V9
Molecular Weight	78,458 Da
NCBI Official Full Name	matrix metalloproteinase-9 preproprotein

NCBI Official Synonym Full Names	matrix metalloproteinase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)
NCBI Official Symbol	MMP9
NCBI Official Synonym Symbols	GELB; CLG4B; MMP-9; MANDP2
NCBI Protein Information	matrix metalloproteinase-9; 92 kDa gelatinase; type V collagenase; macrophage gelatinase; 92 kDa type IV collagenase; matrix metalloproteinase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)
UniProt Protein Name	Matrix metalloproteinase-9
UniProt Gene Name	MMP9
UniProt Synonym Gene Names	CLG4B; MMP-9; GELB
UniProt Entry Name	MMP9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/mmp9-antibody-western-blot-immunohistochemistry-elisa/30591>