

Rabbit TEAD1 Polyclonal Antibody | anti-TEAD1 antibody

TEAD1 Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA30613	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence, Chromatin Immunoprecipitation, Immunoprecipitation


PRODUCT SYNONYMS

TEAD1; Polyclonal Antibody; TEAD1 Rabbit Polyclonal Antibody; AA; NTEF-1; REF1; TCF-13; TCF13; TEAD-1; TEF-1; anti-TEAD1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-TEAD1 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence), ChIP (Chromatin Immunoprecipitation)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:200 IF: 1:50-1:200 ChIP: 1:20-1:50
Immunogen	Recombinant fusion protein of human TEAD1 (NP_068780.2).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.


IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of MCF7 cells using TEAD1.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse lung using TEAD1 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human gastric cancer using TEAD1 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human esophageal cancer using TEAD1 at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon carcinoma using TEAD1 at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human liver cancer using TEAD1 at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Related Product Information for anti-TEAD1 antibody	This gene encodes a ubiquitous transcriptional enhancer factor that is a member of the TEA/ATTS domain family. This protein directs the transactivation of a wide variety of genes and, in placental cells, also acts as a transcriptional repressor. Mutations in this gene cause Sveinsson's chorioretinal atrophy. Additional transcript variants have been described but their full-length natures have not been experimentally verified.
Product Categories/Family for anti-TEAD1 antibody	Primary Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	296434319
NCBI GeneID	7003
NCBI Accession #	NP_068780.2
NCBI GenBank Nucleotide #	NM_021961.5
UniProt Accession #	P28347
Molecular Weight	47,946 Da
NCBI Official Full Name	transcriptional enhancer factor TEF-1
NCBI Official Synonym Full Names	TEA domain family member 1 (SV40 transcriptional enhancer factor)
NCBI Official Symbol	TEAD1

NCBI Official Synonym Symbols	AA; REF1; TCF13; TEF-1; NTEF-1; TCF-13; TEAD-1
NCBI Protein Information	transcriptional enhancer factor TEF-1; protein GT-IIC; transcription factor 13; transcriptional enhancer factor 1
UniProt Protein Name	Transcriptional enhancer factor TEF-1
UniProt Gene Name	TEAD1
UniProt Synonym Gene Names	TCF13; TEF1; TEAD-1; TCF-13
UniProt Entry Name	TEAD1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/tead1-antibody-western-blot-immunohistochemistry-immunofluorescence-chromatin-immunoprecipitation-elisa/30613>