

Rabbit anti-Human Factor XIIIa Polyclonal Antibody | anti-F13A1 antibody

Factor XIIIa antibody

CATALOG # AAA306792	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

Factor XIIIa; Polyclonal Antibody; Factor XIIIa antibody; anti-F13A1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Purified by antigen-affinity chromatography.
Form/Format	Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a preservative.
Sequence Length	732
Applicable Applications for anti-F13A1 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen Type	Recombinant protein
Immunogen Description	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 245 and 494 of Human F13A1
Target Name	Factor XIIIa
Preparation and Storage	Store at -20 degree C for long term preservation (recommended). Store at 4 degree C for short term use.

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of methanol-fixed HeLa, using Factor XIIIa antibody at 1: 200 dilution.



Application Data

Sample (30 ug of whole cell lysate)A: A4317.5% SDS PAGEPrimary antibody diluted at 1: 1000

ADDITIONAL INFORMATION

Related Product Information for anti-F13A1 antibody	This gene encodes the coagulation factor XIII A subunit. Coagulation factor XIII is the last zymogen to become activated in the blood coagulation cascade. Plasma factor XIII is a heterotetramer composed of 2 A subunits and 2 B subunits. The A subunits have catalytic function, and the B subunits do not have enzymatic activity and may serve as plasma carrier molecules. Platelet factor XIII is comprised only of 2 A subunits, which are identical to those of plasma origin. Upon cleavage of the activation peptide by thrombin and in the presence of calcium ion, the plasma factor XIII dissociates its B subunits and yields the same active enzyme, factor XIIIa, as platelet factor XIII. This enzyme acts as a transglutaminase to catalyze the formation of gamma-glutamyl-epsilon-lysine crosslinking between fibrin molecules, thus stabilizing the fibrin clot. It also crosslinks alpha-2-plasmin inhibitor, or fibronectin, to the alpha chains of fibrin. Factor XIII deficiency is classified into two categories: type I deficiency, characterized by the lack of both the A and B subunits; and type II deficiency, characterized by the lack of the A subunit alone. These defects can result in a lifelong bleeding tendency, defective wound healing, and habitual abortion. [provided by RefSeq]
Product Categories/Family for anti-F13A1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	119395709
NCBI GeneID	2162
NCBI Accession #	NP_000120
NCBI GenBank Nucleotide #	NM_000129.3
Molecular Weight	83,267 Da
NCBI Official Full Name	coagulation factor XIII A chain
NCBI Official Synonym Full Names	coagulation factor XIII, A1 polypeptide
NCBI Official Symbol	F13A1
NCBI Official Synonym Symbols	F13A
NCBI Protein Information	coagulation factor XIII A chain
UniProt Protein Name	Coagulation factor XIII A chain
UniProt Gene Name	F13A1
UniProt Synonym Gene Names	F13A; Coagulation factor XIIIa
UniProt Entry Name	F13A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/factor-xiii-a-antibody-immunofluorescence-western-blot-elisa/306792>