

Rabbit Napsin A Polyclonal Antibody | anti-NAPSA antibody

Napsin A Rabbit Polyclonal Antibody

CATALOG # AAA30768	HOST Rabbit	REACTIVITY Human, Rat, Mouse	APPLICATIONS Immunohistochemistry, Immunohistochemistry, ELISA
------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

Napsin A; Polyclonal Antibody; Napsin A Rabbit Polyclonal Antibody; Napsin-A (EC 3.4.23.-)(Aspartyl protease 4)(ASP4)(Asp 4)(Napsin-1)(TA01/TA02); BH6842; anti-NAPSA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Rat, Mouse
Clonality	Polyclonal
Specificity	The antibody detects endogenous Napsin A
Purity/Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-NAPSA antibody	IHC (Immunohistochemistry), IHC (Immunohistochemistry), ELISA
Application Notes	IHC-p: 1:50-200 ELISA: 1:10000-20000
Immunogen	Synthetic peptide from human protein at AA range: 191-240
Modification	Unmodified/Total
Preparation and Storage	Store at -20 degree C/1 year

IMAGES




IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-lung-cancer, antibody was diluted at 1:200




IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-lung-cancer, antibody was diluted at 1:200




IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200




IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded Human lung. 1, Antibody was diluted at 1:400(4 degree overnight). 2, High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded Human lung. 1, Antibody was diluted at 1:400(4 degree overnight). 2, High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

ADDITIONAL INFORMATION

Related Product Information for anti-NAPSA antibody

This gene encodes a member of the peptidase A1 family of aspartic proteases. The encoded preproprotein is proteolytically processed to generate an activation peptide and the mature protease. The activation peptides of aspartic proteinases function as inhibitors of the protease active site. These peptide segments, or pro-parts, are deemed important for correct folding, targeting, and control of the activation of aspartic proteinase zymogens. The encoded protease may play a role in the proteolytic processing of pulmonary surfactant protein B in the lung and may function in protein catabolism in the renal proximal tubules. This gene has been described as a marker for lung adenocarcinoma and renal cell carcinoma. [provided by RefSeq, Feb 2016]

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758754
NCBI GeneID	9476
NCBI Accession #	NP_004842.1
NCBI GenBank Nucleotide #	NM_004851.2
UniProt Accession #	O96009 ; Q8WWD9
Molecular Weight	45,387 Da
NCBI Official Full Name	napsin-A preproprotein
NCBI Official Synonym Full Names	napsin A aspartic peptidase
NCBI Official Symbol	NAPSA
NCBI Official Synonym Symbols	KAP; Kdap; NAP1; NAPA; SNAPA

NCBI Protein Information	napsin-A
UniProt Protein Name	Napsin-A
UniProt Gene Name	NAPSA
UniProt Synonym Gene Names	NAP1; NAPA; ASP4; Asp 4
UniProt Entry Name	NAPSA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/napsin-a-antibody-immunohistochemistry-immunohistochemistry-elisa/30768>