

Rabbit FTH1 Polyclonal Antibody | anti-FTH1 antibody

FTH1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA307739	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

FTH1; Polyclonal Antibody; FTH1 Antibody; FHC; FTH; FTHL6; MGC104426; anti-FTH1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total FTH1 protein.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	183
Applicable Applications for anti-FTH1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human FTH1.
Target Name	FTH1
Preparation and Storage	Store at -20 degree C

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of MCF-7 cell using FTH1 antibody. Blue: DAPI for nuclear staining.



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded rat lung using FTH1 antibody at dilution of 1:200 (400x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using FTH1 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-FTH1 antibody

Ferritin (FTH) is a ubiquitous and highly conserved protein which plays a major role in iron homeostasis by sequestering and storing iron in a non-toxic and bioavailable form (1). The assembled ferritin molecule, often referred to as a nanocage, can store up to 4,500 atoms of iron (2,3). It forms a holoenzyme of ~450 kDa, consisting of 24 subunits made up of two types of polypeptide chains: ferritin heavy chain and ferritin light chain, each having unique functions. Ferritin heavy chains catalyze the first step in iron storage, the oxidation of Fe(II), whereas ferritin light chains promote the nucleation of ferrihydrite, enabling storage of Fe(III) (4). In addition to iron buffering, heavy chain ferritin also enhances thymidine biosynthesis (5). Serum ferritin levels serve as an indicator of the amount of iron stored in the body. Serum ferritin is the most sensitive test for anaemia. The level of serum ferritin is markedly elevated in inflammation, malignancy, and iron overload disorders (6). Research studies have found that defects in ferritin proteins are also associated with several neurodegenerative diseases (7).

Product Categories/Family for anti-FTH1 antibody

[Total protein Ab](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	56682959
NCBI GeneID	2495
NCBI Accession #	NP_002023.2
NCBI GenBank Nucleotide #	NM_002032.2
UniProt Accession #	P02794 ; Q3KRA8 ; Q3SWW1 ; B3KNR5
Molecular Weight	21,226 Da
NCBI Official Full Name	ferritin heavy chain
NCBI Official Synonym Full Names	ferritin, heavy polypeptide 1
NCBI Official Symbol	FTH1
NCBI Official Synonym Symbols	FHC; FTH; HFE5; PLIF; FTHL6; PIG15
NCBI Protein Information	ferritin heavy chain
UniProt Protein Name	Ferritin heavy chain
UniProt Gene Name	FTH1
UniProt Synonym Gene Names	FTH; FTHL6; Ferritin H subunit
UniProt Entry Name	FRIH_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/fth1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/307739>