

Rabbit anti-Human CACNA1H Polyclonal Antibody | anti-CACNA1H antibody

CACNA1H Antibody

CATALOG # AAA310300	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CACNA1H; Polyclonal Antibody; CACNA1H Antibody; ECA6; EIG6; Cav3.2; CACNA1HB; anti-CACNA1H antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Specificity	The antibody detects endogenous levels of total CACNA1H protein.
Purity/Purification	Antigen affinity purification
Form/Format	In pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	2353
Applicable Applications for anti-CACNA1H antibody	IHC (Immunohistochemistry)
Immunogen	Synthetic peptide corresponding to residues near the C terminal of human CACNA1H
Immunogen Type	Peptide
Preparation and Storage	Store at -20 degree C.

IMAGES



IHC (Immunohistochemistry)

The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using 46383(CACNA1H Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: x200)



IHC (Immunohistochemistry)

The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using 46383(CACNA1H Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: x200)

ADDITIONAL INFORMATION

Related Product Information for anti-CACNA1H antibody	This gene encodes a T-type member of the alpha-1 subunit family, a protein in the voltage-dependent calcium channel complex. Calcium channels mediate the influx of calcium ions into the cell upon membrane polarization and consist of a complex of alpha-1, alpha-2/delta, beta, and gamma subunits in a 1:1:1:1 ratio. The alpha-1 subunit has 24 transmembrane segments and forms the pore through which ions pass into the cell. There are multiple isoforms of each of the proteins in the complex, either encoded by different genes or the result of alternative splicing of transcripts. Alternate transcriptional splice variants, encoding different isoforms, have been characterized for the gene described here. Studies suggest certain mutations in this gene lead to childhood absence epilepsy (CAE).
Product Categories/Family for anti-CACNA1H antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	53832009
NCBI GeneID	8912
NCBI Accession #	NP_066921
NCBI GenBank Nucleotide #	NM_021098.2
UniProt Accession #	O95180; O95802; Q8WWI6; Q96QI6; Q96RZ9; Q9NYY4; Q9NYY5; B5ME00; F8WFD1
Molecular Weight	258,545 Da
NCBI Official Full Name	voltage-dependent T-type calcium channel subunit alpha-1H isoform a
NCBI Official Synonym Full Names	calcium voltage-gated channel subunit alpha1 H
NCBI Official Symbol	CACNA1H
NCBI Official Synonym Symbols	ECA6; EIG6; HALD4; Cav3.2; CACNA1HB
NCBI Protein Information	voltage-dependent T-type calcium channel subunit alpha-1H
UniProt Protein Name	Voltage-dependent T-type calcium channel subunit alpha-1H
UniProt Gene Name	CACNA1H

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cacna1h-antibody-immunohistochemistry-elisa/310300>