

Rabbit DDX39A Polyclonal Antibody | anti-DDX39A antibody

DDX39A Antibody

CATALOG # AAA311744	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

DDX39A; Polyclonal Antibody; DDX39A Antibody; BAT1; DDXL; BAT1L; DDX39; URH49; anti-DDX39A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	Antigen affinity purification
Form/Format	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-DDX39A antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Fusion protein of human DDX39A
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C for 1 year.

IMAGES




IHC (Immunohistochemisry)

The image is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using (Antibody) at dilution 1/70.



IHC (Immunohiostchemistry)

The image is immunohistochemistry of paraffin-embedded Human breast cancer tissue using (Antibody) at dilution 1/70.



SDS-PAGE

Gel: 8%SDS-PAGE, Lysate: 40 ug, Lane: 293T cell lysate, Primary antibody:DDX39A
Antibody at dilution 1/1000, Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution,
Exposure time: 2 minutes

ADDITIONAL INFORMATION

Related Product Information for anti-DDX39A antibody	This gene encodes a member of the DEAD box protein family. These proteins are characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD) and are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure, such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of the DEAD box protein family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene is thought to play a role in the prognosis of patients with gastrointestinal stromal tumors. A pseudogene of this gene is present on chromosome 13. Alternate splicing results in multiple transcript variants. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known.
Product Categories/Family for anti-DDX39A antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	33875869
NCBI GeneID	10212
UniProt Accession #	Q9UGM1; O00148
Molecular Weight	50KD
NCBI Official Full Name	Homo sapiens DEAD (Asp-Glu-Ala-Asp) box polypeptide 39, mRNA
NCBI Official Synonym Full Names	DExD-box helicase 39A
NCBI Official Symbol	DDX39A
NCBI Official Synonym Symbols	BAT1; DDXL; BAT1L; DDX39; URH49
NCBI Protein Information	ATP-dependent RNA helicase DDX39A
UniProt Protein Name	Neuronal acetylcholine receptor subunit alpha-9
UniProt Gene Name	CHRNA9
UniProt Synonym Gene Names	NACHRA9; NACHR alpha-9
UniProt Entry Name	ACHA9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

